

Product catalogue 2020





## Contents

NAME.

|    | The Company<br>The ETESIA benefits<br>User's speeches<br>The ETESIA Innovations   | р 01<br>р 02<br>р 03<br>р 04 - 05  |
|----|---|--|
|    | Ride-on mowers Hydro 124D range<br>Hydro 124D<br>Accessories Hydro 124D range   | р 06 - 11<br>р 08 - 09<br>р 10 - 11  |
|    | <b>Ride-on mowers Buffalo range</b><br>Buffalo 124 cm<br>Buffalo 100 cm<br>Accessories Buffalo range  | p <b>12 - 19</b><br>p 14 - 15<br>p 16 - 17<br>p 18 - 19  |
|    | Ride-on mowers Hydro 100 III<br>Hydro 100 III<br>Accessories Hydro 100 III  | p 20 - 23<br>p 22 - 23<br>p 21   |
|    | Ride-on mowers Bahia - Hydro 80 range<br>Bahia Petrol<br>Bahia Electric M2E<br>Bahia MKM<br>Hydro 80 New<br>Hydro 80 e-connect concept<br>Accessories Bahia - Hydro 80 range      | p 24 - 37<br>p 26 - 27<br>p 28 - 29<br>p 30 - 31<br>p 32 - 33<br>p 34 - 35<br>p 36 - 37              |
|    | Professional Pedestrian Mower range<br>Pro 53<br>Pro 51<br>Pro 46 Evolution<br>Pro 46 The reference New<br>Duocut 41-46 N-ERGY/battery<br>Duocut 46 N-ERGY 2/battery<br>Biocut 53 | p 38 - 53<br>p 40 - 41<br>p 42 - 43<br>p 44 - 45<br>p 46 - 47<br>p 48 - 49<br>p 50 - 51<br>p 52 - 53 |
|    | Domestic Petestrian Mower Garden range<br>Duocut 53<br>Duocut 46<br>Duocut 37-41 Electric   | p 54 - 61<br>p 56 - 57<br>p 58 - 59<br>p 60 - 61   |
|    | Brushcutters Attila range<br>Attila AK98X - AK98 - AK95 - AK88 New<br>Attila SKD<br>Accessories Attila SKD<br>Attila AK-60/AH-75<br>Attila AD51                                   | p <b>62 - 71</b><br>p 64 - 65<br>p 66<br>p 67<br>p 68 - 69<br>p 70 - 71                              |
|    | Scarifier MSC45<br>weeder MBR50   | р <b>72</b><br>р <b>73</b>   |
| 93 | Transportation and Handling<br>Electric wheelbarrow Donky New<br>Traction vehicle Babia Electric VTE  | p 74 - 77<br>p 74 - 75<br>p 76 - 77  |


## The Company **METESIA**



**ETESIA** specialises in the design, manufacture and marketing of professional equipment for green space maintenance. The company has prospered over the last **30 years** to become the unchallenged market

leader in mowing and collection. Today, it is one of the main suppliers to municipal authorities and European landscape firms.





## The benefits of **METESIA**



#### **OUTSTANDING PERFORMANCE**

ETESIA mowers guarantee impeccable mowing quality regardless of the conditions (tall, wet grass) and the kind of mowing (collection, mowing and mulching).

#### **MADE-IN-EUROPE INNOVATION**

Since it was founded in 1989, ETESIA has produced its mowers in its factory in Wissembourg (France) and has been outstanding in the innovations it has brought to the green space market. It can call on its very own highend Research, Design and Test Centre, which is unique in Europe and, in 2009, won the regional prize for innovation. In 2017, it launched the Hydro 80 e-connect, the first connected mower.

#### **GUARANTEED QUALITY**

ETESIA products come with attractive warranty terms: up to 3 years in domestic use and 2 years in commercial use, the housings (Decks) on the walkbehind mowers are guaranteed for 10 years in domestic use.





Domestic use



## INCOMPARABLE STRENGTH AND LONGEVITY

From the time they are designed, all ETESIA machines undergo extreme durability and strength tests. The spare parts needed to keep the machines running properly are also available for up to 10 years after discontinuation of the products. Some machines are still in service more than 25 years after they were purchased.

#### **CONTROLLED QUALITY**

Quality and customer service are key concerns for ETESIA. Therefore, since 1994, ETESIA has enjoyed uninterrupted ISO certification: ISO 9002 in December 1994, ISO 9001 version 2000 in November 2002 and, finally, ISO 9001 version 2008 since November 2009. ISO 9001 version 2008 in November 2009 and finally version 2015 since November 2019.



#### **HIGH QUALITY SERVICE**

ETESIA can rely on the recognised professionalism of its dealer network. Each and every one of them enjoys commercial, marketing and after-sales support from ETESIA's field teams, whose watchwords are attentiveness, advice, responsiveness and availability.





## **User's Statements**



"I've never needed the after-sales service. I've been using my Bahia for 18 years, and believe me, I've really put it through its paces over the years. I'm so happy that with it that I would recommend this machine to everyone." Daniel Doucet (private user - France)



"The mowing quality is brilliant! The Etesia machine works every day. We can work in all weathers: whenever it starts to rain, the other landscape gardeners take their mowers inside, we just carry on mowing."

Ets Ricol (Landscaper Gardener - France)



"The city of Paris owns 800 mowers, 400 of them from Etesia." "ETESIA mowers are very comfortable, as well as extremely manoeuvrable, we can get into all those tight spots." **Paul Conte (City of Paris)** 



"Compared with our old mower, I take only half the time to mow the same area." Angus Cook (Aberdour Castle in Scotland)



"With an Etesia, you feel perfectly safe. These mowers pick up 100%, even on rainy days. Etesia's saving us time, money, the work is well done and the customer is satisfied."

Landscape Art J.j. Zoller Et Fils (Landscaper Gardener - France)

"With Etesia, we can work in any weather, even with high and wet grass. That's also guaranteed reliability: we have had some machines for 12 years and they are still running."

#### City of Strasbourg (France)

« Before we bought the Etesia, we did a comparison and found that all in all, the Etesia was really better. In our domain, the cheapest is not always the most economical."

City of Esslingen (Germany)

My experience with Etesia dealers is extremely good – they deliver the mowers on time and offer dedicated support.

#### The Landscape Group (Landscaper Gardener - UK)

"We count on Etesia to help us in our ecological process, especially to reduce our carbon footprint. We have green outcomes by using their equipment. The reliability of Etesia is impressive, these mowers are built to last."

Forest Green Rover (Football club - UK)



## The innovation of M = 1 = S



#### Innovation the key to ETESIA's success

For 30 years, our R&D staff have developed a series of innovative concepts that have revolutionised green space maintenance and taken our company from success to success.

Mowing and collecting

#### **MOWING AND COLLECTING**

The ETESIA concept eliminates all risks of clogging, offering the first ride-on mower with direct rear ejection and integrated collection. Today, ETESIA is the only manufacturer of ride-on mowers to develop the cutting system first and then the tractor afterwards.

Unique cutting quality. Indexed at 90°, the two counter-rotating blades overlap to prevent any central mark. The two blades generate a powerful blowing effect and push the grass through a volute-shaped housing with an increasing cross section into the grassbox. The collection system mounted directly at the outlet of the cutter housing guarantees perfect collection with no risk of clogging - there are no obstacles between the cutter housing and the grassbox. The result is that our machines can mow and collect the grass in conditions - long, wet grass where most competitors are just not up to the task.

**DUOCUT, MULCHING AND COLLECTION** 

#### **BIOCUT, MULCHING BY ETESIA**



Mulching

Mulching

ETESIA is known for its unparalleled performance in grass collection, and in recent years has also made a name for itself as an innovator in mulching. In 2001 our research centre developed the Biocut concept, which is characterised by a deck with a very pronounced bell shape which, when combined with a new blade profile, provides cutting results with long and even wet grass that are not matched in the market.

#### Collecting

Because they never gave up on the quest to develop a cutting deck that could be as good at mulching as at collection, in 2006 our engineers created the Duocut concept for the new Pro 53. This was a housing designed to give a 100% quality finish regardless of whether you are collecting or mulching, with no compromises on either of the two functions.

Outstanding collection performance thanks to the smooth inside surface of the cutting deck and the full opening of the ejection outlet that helps to eject grass clippings without jamming. The grass clippings are perfectly commpressed in the collector.

Excellent mulching results. Thanks to its bell-shaped housing, the DUOCUT gives excellent mulching

results (the grass is shred very finely, even in high, wet grass). The detachable mulching unit (comes with the machine) rounds off the shape of the cutting deck in order to give a smooth surface, with no sharp edges, to optimise the recirculation of the grass for mulching of incomparable quality. It can be quickly and easily fitted without using tools or changing the blade.

As a result of its success, the Duocut concept was adapted to the Hydro 100 Evolution cutting deck in 2009 and to the Buffalo 100 and the Hydro 100 III in 2015. As before, we saw the system's excellent mowing quality, whether in its collection or mulching function.



## **BIO CONCEPT**

Environmental protection and a commitment to sustainable development in general have always been among our key concerns, even before they became the latest buzzwords. That is why at ETESIA, we have developed our own philosophy called Bio Concept. It is reflected in the fact that environmental protection is addressed in all areas of the company and at every stage in the life of our equipment. The choice of manufacturing materials and processes takes account of their environmental impact. Bio Concept also covers different projects to develop new clean engines. That is how ETESIA has been able to release three exclusive products in two years: the first ride-on mower in the world to run entirely on PVO (pure vegetable oil, a biofuel), the first ride-on mower in Europe running on LPG (25% less CO, 21% less CO2) and the first ride-on mower in the world to run entirely on electricity (zero pollutant, zero noise...).

ETESIA's vision of the future of its market is one where business and environmental protection are ultimately reconciled. ETESIA's commitment is taking concrete form with its new green engines and also through the versatility of the range, making it possible to apply several mowing techniques



and thus enabling differential management. With the continual development of our electricly powered range of transport and handling equipment, ETESIA contributes to reducing the arduousness of work. This is particularly the case with our electric tool holders.



The Hydro 124D range is at the forefront of innovation and performance in all areas of professional mowing: grass collection with the Hydro 124D and mulching with the dedicated mulching deck. These ride-on mowers dedicated to large and medium-sized areas boast an efficiency, cutting quality, power, manoeuvrability, compactness, comfort and versatility unrivalled on the market. The recent arrival of the 4WD and Bio versions give the range a new dimension, with improved crossing capabilities and a real contribution to the protection of the environment.






**User's speech:** "I have been working with an H124D for 15 years. It's probably the best machine for collecting, either grass or leaves." Sports Department of the city of Reims



See on the website

#### RIDE-ON MOWERS



## Hydro 124D range

#### XXL-size performance...

Fitted with a 124-cm overlapping cutting deck and a 17 kW three-cylinder Lombardini engine. It has a higher hourly mowing output of up to 19 840 sq.m. per hour, and an unequalled weight-to-power ratio. Above all, it represents excellent value for money, both for the initial purchase and for use.

#### Available with 4 wheel drive: H124DX



#### **User's speeches:**

"The H124D is very comfortable and maneuverable; we can go in every little corner with this machine."

#### Champs-Elysées' Green Spaces Team – City of Paris

"The ride-on mower H124D from Etesia are currently used being at the "Grand Parc des Sports". They are doing a great job." **City of Rouen** 



#### Product highlights:

#### EFFICIENT

- Collection under optimal mowing conditions thanks to the Collection Concept (p.4): - Direct rear ejection: no obstruction between
- the deck and the grassbox
- 2 counter-rotating blades that emit a powerful lift and draught effect
- Hydraulic emptying of the grass box
- Hydraulic transmission on the 2 wheel drive (H124DN and DL) or 4 wheel drive (H124DX)

#### COMFORTABLE, SURE & EASY OPERATION

- Steering console fully adjustable
- Easy and functional controls
- Power steering

#### **ROBUST, COMPACT & RELIABLE**

- Screw-assembled mechanically welded chassis - Mastershock cutting deck

#### VERSATILE

Wide range of accessories: scarifier, mulching deck, cab, spreader, snow plough, street cleaner, Road Legal Kit (except H124DL) (p.8-9). **ECO-FRIENDLY** 

Run entirely on PVO (B30) without loss of performance: biodegradable to 98%, renewable fuel, reduction of 59% of the gas emissions, positive energy assessment (restores 2,2 times more energy than it is necessary).
Catalytic convertor and particle filter in option: less than 52% carbon monoxide and 36% particulate mass spreaded





## **Technical specifications:**

| iotinitai spotintai  | ALC: Y ALC: Y  |   | CONTRACTOR OF A        |  |  |
|--|--|---|------------------------|--|--|
| Model<br>(l x w x h)**   | Hydro 124 DX   | <b>Hydro 124 DN</b><br>(280×128×204)      | Hydro 124 DL           |  |  |
| Cutting width  |  | 124 cm                                    |                        |  |  |
| Engine   | Lombardin  | i 1003 3 cylinder (Diesel or biod         | diesel B30)            |  |  |
| Nominal rated power (***)<br>Constructors' maximum rated power |  | 1028 cm³ - 17 kW (23 HP)<br>18 kW (25 HP) |                        |  |  |
| Maximum operating rate   |  | 2820 rev/min                              |                        |  |  |
| Transmission   | hydraulic<br>4 wheel drive hydraulic on the 2 rear wheels  |   | e 2 rear wheels        |  |  |
| Speed  | Forward 0 to 16 km/h<br>Reverse 0 to 14 km/h   |   |                        |  |  |
| Theoretical output (*)   | 19 840 sqm/h   |   |                        |  |  |
| Clutch-operated blade  | by electromagnetic clutch  |   |                        |  |  |
| Adjustment of cutting height                                   | 9 positions from 44 to 140 mm + 1 transport position w   |   | n with adjustable stop |  |  |
| Grassbox emptying  | hydraulic on the ground or high-lift up to 1,80 m  |   |                        |  |  |
| Grassbox capacity  | 600 L  |   |                        |  |  |
| Weight   | 895 kg 860 kg  |   | 815 kg                 |  |  |
| Removable cutting deck   | <ul> <li>✓</li> </ul>  |   | -                      |  |  |
| Power grip   | <ul> <li>✓</li> </ul>  |   | optional               |  |  |
| Road legal kit   | standard   |   | -                      |  |  |
|  | *) A second is a state many ing conditions (many ing many ing calculation or conting width — the section of section) |   |                        |  |  |

(\*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) (\*\*) I = Length, w = width h = height (in cm) (\*\*\*) Nominal power at maximum operating rate

#### RIDE-ON MOWERS

#### Range Hydro 124D Accessories



A wide range of attachments for parks and gardens, roads and snow turns the Hydro 124D ride-on mower into a versatile multi-purpose tool that you can use all year round whatever the weather or terrain.



#### Front scarifier

Comprising two floating heads, the MSC124 has 1,25 m working width and debris can be collected in one pass. Working depth is variable. The two units can be lifted for transporting between sites and are retractable for passing through narrow entrances. Quick, tool-free installation.

#### **Mulching insert**

A particularly interesting option during the season, when grass growth has slowed or in times of extended drought. Mulching is an ecological and costeffective mowing. The screw-assembled mulching insert is very quick to install and doesn't require any special mulching blade. Indeed, the Buffalo cutting deck was designed on the Duocut concept, which enables both an outstanding collection and mulching with the same cutting deck.

#### **Mulching deck**

For mulching large areas, the 1,44 m MCM cutting deck combined with the speed of the H124D offers you exceptional yields. The change from one mowing deck to another can be made within 30 min.



**TURFCARE** 



#### Deflector

The deflector, which is fitted - without the need of tools - in place of the grassbox, enables you to mow without collecting the cuttings, even in extremely difficult conditions.

#### Weeding brush

A green accessory called "Zero agrochemicals", a simple and efficient system for weed and grass removal on hard surfaces. The metal weeding brush is easy to set up and remove from the front of the machine without any need for modification. Its use is as simple as its installation.









#### Spreader

To put fertilizer on your lawn and spread grit or sand in winter (60 litres).

#### **SNOW EQUIPMENT**



#### Snow plough

For speedy, safe snow clearance, the hydraulically operated 135 cm snow plough can be angled to the right, left or lifted.

Cab

A glass-panelled cab is available as an option. This can also be equipped with a heating system. The cabin can also be fitted with a windscreen washer if required.

#### HIGHWAYS MAINTENANCE



#### Street cleaner


Working width 135 cm, left/right hydraulic positioning. Equipped with a side sweeper for cleaning pavements and gutters with a street cleaner box, hydraulically emptied. Dust protector for using the street cleaner with no box attached.



#### Tow bar

The easy to attach tow bar, will pull trailers up to 500 kg in weight (maximum towing weight). The tow bar also has an electric socket for powering trailer lights.

|  | REF.   | H124D/DX              | H124DN                | H124DL                |
|--|--------|-----------------------|-----------------------|-----------------------|
| MULCHING DECK                                | MCM144 | ~                     | <ul> <li></li> </ul>  | <ul> <li>✓</li> </ul> |
| INSERT MULCHING                              | MU124D | <ul> <li>✓</li> </ul> | <ul> <li>✓</li> </ul> | <ul> <li>✓</li> </ul> |
| DEFLECTOR                                    | MD124  | <ul> <li>✓</li> </ul> | <ul> <li>✓</li> </ul> | ✓                     |
| Spreader*                                    | MET    | <ul> <li>✓</li> </ul> | <ul> <li>✓</li> </ul> | ✓                     |
| MULTIPURPOSE TRAILER                         | MR124  | ~                     | <ul> <li>✓</li> </ul> | <ul> <li>✓</li> </ul> |
| SNOW PLOUGH                                  | MV124  | ~                     | <ul> <li>✓</li> </ul> | ✓*                    |
| SNOW CHAINS                                  | MN124  | ~                     | <ul> <li>✓</li> </ul> | <ul> <li>✓</li> </ul> |
| Scarifier                                    | MSC124 | ~                     | <ul> <li>✓</li> </ul> | ✓*                    |
| STREET CLEANER                               | MT124N | <ul> <li>✓</li> </ul> | <ul> <li>✓</li> </ul> | ✓*                    |
| Сав**  | OY124P | ~                     | <ul> <li>✓</li> </ul> | <ul> <li>✓</li> </ul> |
| WEEDING BRUSH                                | MBR124 | ~                     | ~                     | ✓*                    |
| CATALYTIC CONVERTER AND PARTICULATE FILTER** | OFP124 | <ul> <li>✓</li> </ul> | ~                     | ~                     |
| (*) with by draulic power take off action    |        |                       |                       |                       |



**FASTER**: mowing and collection speed up to 15,000 sqm/h. Rear central ejection without jamming. 100 or 124 cm cutting deck. 600-litre box with hydraulic emptying. Tipping height up to 1,80 m from the ground. Improved collection: stable engine speed in all mowing conditions.

**FURTHER**: compact and manoeuvrable. Excellent behaviour on slopes: new disc brakes that double the braking torque. Highly drivable power steering for effortless control. With ROPS (Roll-Over Protection System).

**LONGER**: in all seasons, on all surfaces. Petrol or diesel engine. Hydraulic transmission with two or four wheel drive. New-generation angle transmission and new, more efficient blade clutch.



124 cm - 50 inch 14 kW/Petrol Grassbox: 600 L Lift emptying 4 Wheel drive Theoretical output: 15 000 sqm/h



Buffalo 124/HVHP

124 cm - 50 inch 14 kW/Petrol Grassbox: 600 L Lift emptying 2 Wheel drive Theoretical output: 15 000 sqm/h

# Buffalo 100/BVHPX

100 cm - 39 inch 14 kW/Petrol Grassbox: 600 L Lift emptying 4 Wheel drive Theoretical output: 12 000 sqm/h

## biffalo

#### **User's speech:** "They are highly robust and don't let anybody down, Repairs are minimal, so our

anybody down. Repairs are minimal, so our workshop costs are low." Joseph Rowntree Housing Trust

G. 1









## Buffalo 100/BVHP

100 cm - 39 inch 14 kW/Petrol Grassbox: 600 L Lift emptying 2 Wheel drive Theoretical output: 12 000 sqm/h



Buffalo 100/BPHPX2

100 cm - 39 inch 13,5 kW/Diesel Grassbox: 600 L Lift emptying 4 Wheel drive Theoretical output: 12 000 sqm/h



## Buffalo 100/BPHP2

100 cm - 39 inch 13,5 kW/Diesel Grassbox: 600 L Lift emptying 2 Wheel drive Theoretical output: 12 000 sqm/h



#### RIDE-ON MOWERS

## Buffalo 124 cm

#### Buffalo, the new mowing beasts

With their 1,24 m overhanging cutting decks and 19 HP Vanguard two-cylinder engines, the new Buffalo 124 mowers boast a theoretical efficiency of 15,000 sqm/h, an unparalleled weight to power ratio and above all excellent value, both in terms of purchase and use and ownership.

Available with 2 or 4 wheel drive.



#### **User's speech:**

"It's been excellent in the wet. If it wasn't for the tyre marks it would leave, you could even use it to cut and collect in 2" of water it's that good!."

Joseph Rowntree Housing Trust



#### **Product highlights:**

#### **EFFICIENT**

Collection in all conditions thanks to the collection concept (p.4):

- Direct rear ejection: no obstruction between the deck and the grassbox

- 2 counter-rotating blades that emit a powerful lift and draught effect

- Hydraulic emptying of the grassbox

- Hydraulic transmission on the 2 wheel drive (HHVHP) or 4 wheel drive (HVHPX)

- Differential lock for the 2 drive wheels

- Electromagnetic blade clutch with integrated brake.

#### COMFORTABLE & EASY OPERATION

- User-friendly controls

- High drivability: hydraulic transmission, power steering

- Silent: acoustic pressure 90 dB(A) at the driver's seat

- Zero emission of fine particles, fitted with a catalytic converter

#### ROBUST

Chassis made of two mechanically welded subassemblies bolted and fully treated for corrosion resistance.

#### VERSATILE

- Available accessories: mulching insert, spreader, snow plough, street cleaner, Road Legal Kit...(p.18-19)

- Mowing for all surfaces: compactness, ultrashort turning radius and exceptional efficiency making these machines ideal for small and large areas alike.



## Technical specifications:

| A CONTRACT OF |  |  |
|---|--|--|
| HVHPX HVHP<br>(292×128×200)   |  |  |
| 124   | cm   |  |
| B&S OHV Vanguard equipped with<br>a catalytic convertor (Petrol)  |  |  |
| 627 cm <sup>3</sup> - 14 kW (19 HP)<br>1 <i>7 kW (23 HP</i> )   |  |  |
| 2 900 rev/min   |  |  |
| hydraulic on the hydraulic o<br>4 wheel drive 2 rear w  |  |  |
| forward/reverse 0 to 12 km/h  |  |  |
| 15 000 sqm/h  |  |  |
| by electromagnetic clutch   |  |  |
| centralised with 6 positions<br>from 44 to 102 mm   |  |  |
| hydraulic on the ground or high-lift up to 1,80 m   |  |  |
| 600 L   |  |  |
| 648 kg 621 kg   |  |  |
| optional  |  |  |
|   | (292×12)<br>124<br>B&S OHV Vangu<br>a catalytic co<br>627 cm <sup>3</sup> - 14<br>17 kW<br>2 900 m<br>hydraulic on the<br>4 wheel drive<br>forward/revers<br>15 000<br>by electroma<br>centralised wi<br>from 44 to<br>hydraulic on the ground<br>60<br>648 kg |  |

(\*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) (\*\*) I = Length, w = width h = height (in cm) (\*\*\*) Nominal power at maximum operating rate

14



See on the website

**RIDE-ON MOWERS** 

## Buffalo 100 cm

#### The new force!

Fitted with a 100-cm overlapping cutting deck and a 18 HP two-cylinder Vanguard engine or a 19 HP diesel engine, it has a higher hourly mowing output of up to 12 000 sq.m. per hour, and an unequalled weight-to-power ratio. Above all, it represents excellent value for money, both for the initial purchase and for use.

Available with 2 or 4 wheel drive.



#### User's speech:

"The power and the torque of the engine enable a great cut. The Buffalo also has a powerful suction. Moreover, this machine has low fuel consumption – half a fuel tank is enough for one day of mowing."

Charles HERVET, landscaper



## Product highlights:

#### **EFFICIENT**

High efficiency for all types of mowing: collection, mulching and cutting:

- Direct rear ejection: no obstacle between the deck and the grassbox

- Complete emptying of the ejection channel and grassbox

- The cutting deck is a perfect combination of 100% collection and 100% mulching decks (Duocut concept p.4)

- Hydraulic transmission for the two rear drive model (HVHP) or the four wheel drive model (HVHPX)

- Differential lock for the two wheel drive model - 18 HP diesel engine or 19 HP (Vanguard twocylinder petrol engine, zero emission of fine particles, fitted with a catalytic converter)

- Electromagnetic blade clutch with integrated brake COMFORTABLE

#### COMFORIABLE

- User-friendly controls

- High drivability: hydraulic transmission, power steering

- Comfortable seat with a high backrest and depth adjustment for an ideal driving position.

- Silent: acoustic pressure 85 dB(A) at the driver's seat
- Zero emission of fine particles, fitted with a
- catalytic converter

#### ROBUST

Hydraulic movement: longer life and more reliable transmission systems

#### VERSATILE

- Accessories associated: mulching insert, spreader, snow plough, street cleaner, Road Legal Kit... (p.18-19)

- Mowing for all surfaces: compactness, an ultrashort turning radius and exceptional efficiency make these machines ideal for small and large areas alike.





## Technical specifications:

| -  | ·····································                         |                                   |  |                                   |  |
|--|---|-----------------------------------|--|-----------------------------------|--|
| Model<br>(L x w x h)**   | ВVНРХ   | <b>BVHP</b><br>(292×10            | <b>BPHPX2</b><br>05×200)   | BPHP2                             |  |
| Cutting width  |   | 100                               | ) cm   |                                   |  |
| Engine   | B&S OHV Vanguard equipped with a catalytic convertor (Petrol) |                                   | Perkins 403D07<br>3 cylinder (Diesel)                            |                                   |  |
| Nominal rated power (***)<br>Constructor's maximum rated power   | 627 cm <sup>3</sup> - 14 kW (19 HP)<br>17 kW (23 HP)          |                                   | 760 cm <sup>3</sup> - 13,5 kW (18 HP)<br><i>15 kW (20,5 HP</i> ) |                                   |  |
| Maximum operating rate   | 2 900   |                                   | ev/min   |                                   |  |
| Transmission   | hydraulic on the<br>4 wheel drive                             | hydraulic on the<br>2 rear wheels | hydraulic on the<br>4 wheel drive                                | hydraulic on the<br>2 rear wheels |  |
| Speed  |   | forward/revers                    | e 0 to 12 km/h   |                                   |  |
| Theoretical output (*)   | 12 000 sqm/h  |                                   |  |                                   |  |
| Clutch-operated blade  | by electromo  |                                   | ignetic clutch   |                                   |  |
| Adjustment of cutting height   | centralised with 6 positions<br>from 44 to 102 mm             |                                   |  |                                   |  |
| Grassbox emptying  | hydraulic on the ground or high-lift up to 1,80 m             |                                   |  |                                   |  |
| Grassbox capacity  | 600 L   |                                   |  |                                   |  |
| Weight   | 630 kg  | 603 kg                            | 713 kg   | 683 kg                            |  |
| Road homologation  | ation optional  |                                   |  |                                   |  |
| (*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) |   |                                   |  |                                   |  |

(\*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) (\*\*) I = Length, w = width h = height (in cm) (\*\*\*) Nominal power at maximum operating rate

#### **RIDE-ON MOWERS**

### Range Buffalo Accessories



The Buffalo 100/124 range of accessories covers the principal maintenance needs of green spaces and roads.

For collection, mulching, grass cutting, spreading, snow clearance or road cleaning, Etesia offers simple and effective solutions that can be fitted in no time on standard models.



## GREEN SPACE MAINTENANCE

A pa has s and a quick the B

#### **Mulching insert**

A particularly interesting option during the season, when grass growth has slowed or in times of extended drought. Mulching is an ecological and cost-effective mowing. The screw-assembled mulching insert is very quick to install and doesn't require any special mulching blade. Indeed, the Buffalo cutting deck was designed on the Duocut concept, which enables both an outstanding collection and mulching with the same cutting deck.

The deflector, which is fitted – without the need of tools – in place of the grassbox, enables you to mow without collecting the cuttings, even in







#### Scarifier

**Spreader** 

Deflector

extremely difficult conditions.

To put fertilizer on your lawn (60 litres).

With a working width of 80 cm, the scarifier for Bahia, Hydro 80 and Attila SKD allows you to aerate and clean your lawn with considerable efficiency. This tool is particularly important for wet and shaded plots. It allows your lawn to breathe by ridding it of the moss that suffocates it. With this accessory, we will help your grass to look even more beautiful!



Buffalo 124



#### **SNOW EQUIPMENT**



**Snow plough** For speedy, safe snow clearance, the hydraulically operated 135 cm snow plough can be angled to the right, left or lifted.



#### Spreader

To spread grit or sand in winter (60 litres).

#### HIGHWAYS MAINTENANCE



#### Tow bar

The easy to attach tow bar, will pull trailers up to 500 kg in weight (maximum towing weight). The tow bar has an electric socket for powering trailer lights.




#### Street cleaner

Working width 1,35 m, left/right hydraulic positioning. Equipped with a side sweeper for cleaning pavements and gutters with a street cleaner box, hydraulically emptied. Dust protector for using the street cleaner with no box attached.

|                     | REF.          | Buffalo 124          | Buffalo 100 |
|---------------------|---------------|----------------------|-------------|
| MULCHING INSERT     | MU124P-MU100D | <ul> <li></li> </ul> | <b>v</b>    |
| DEFLECTOR           | MDD100        | ~                    | ~           |
| Spreader            | MET           | ~                    | ~           |
| Scarifier (*)       | MM103         | ~                    | ~           |
| Tow bar             | MRD100        | ~                    | ~           |
| STREET CLEANER (**) | MT103         | ~                    | ~           |
| SNOW PLOUGH (*)     | MV103         | ~                    | ~           |
| SNOW CHAINS         | MND100        | ~                    | ~           |
| Road legal kit      | MXBUF         | ~                    | ~           |

\*) Requires an accessory mounting bracket + mechanical or hydraulic adapter.
 \*\*) Requires an accessory mounting bracket + hydraulic adapter.



Etesia was the inventor of the concept of the direct ejection ride-on mower, with the first Hydro 100 launched in 1990. Since then, Etesia's range of 100 cm mowers has never stopped improving and expanding. From the outset it has constituted a reference that cannot be ignored in mowing and grass collection on the European professional market. The petrol Hydro 100 guarantees mowing and grass collection in all conditions, recordbreaking reliability and service life, compactness and go-anywhere manoeuvrability and above all, top-of-the-range working comfort and ergonomics. No type of surface escapes it – small, medium or large – enabling professionals to take on a wider range of mowing jobs.

#### User's speech:

Cast aluminium deck

"With the Etesia technology, we can mow even when it's raining. These are real professional machines with an undeniable robustness and long working life." **City of Molsheim** 

H100III/MKEHH

100 cm 11,2 kW/Petrol Grassbox: 500 L Theoretical output: 11 000 sqm/h







#### RIDE-ON MOWERS

## Hydro 100 III Accessories



#### **PROFESSIONAL VERSATILITY...**

The Hydro 100 III accessories allow it to be active throughout the year and for various applications which include mowing with collection, mowing, mulching, spreading, towing and road cleaning (snow and dust).

It is therefore a very versatile model that is offered to professionals.

#### User's speech:

"The Hydro 100 is essential for us because it is particularly versatile. We really appreciate the versatility of the Etesia machine which enables us to apply several kinds of mowing, either very short flush from the ground or mulching higher cuttings with collecting or without any grass box but with a deflector." **City of Calais** 

#### **GREEN SPACE MAINTENANCE**



#### Deflector (ref. MD103 ou MDPRO2)

For cutting long grass or when non-collection is required, two optional rear deflectors are available - the wide-mouted or compact deflector.



#### Mulching (ref. MU100D)

Thanks to the mulching kit you can fit to your mower, your machine becomes to an outstanding mulching mower.

#### Spreader (ref. MET)

To put fertilizer on your lawn and spread grit or sand in winter (60 litres).

#### Scarifier\* (ref. MM103)

With a working width of 80 cm, the scarifier for Bahia, Hydro 80 and Attila SKD allows you to aerate and clean your lawn with considerable efficiency. This tool is particularly important for wet and shaded plots. It allows your lawn to breathe by ridding it of the moss that suffocates it. With this accessory, we will help your grass to look even more beautiful!

#### **SNOW EQUIPMENT**



#### Snow plough\* (ref. MV103). Snow chains (ref. MN102)

The snow plough and snow chains enables you to use your H100 III for snow clearance.

#### HIGHWAYS MAINTENANCE



## The easy to attach tow bar, will pull trailers up to 500 kg in weight (maximum towing weight). The tow bar has an electric socket for powering trailer lights.

**Street cleaner\*\* (ref. MT103)** Working width 135 cm, left/right hydraulic positioning.

(\*) Requires an accessory mounting bracket + mechanical or hydraulic adapter. (\*\*) Requires an accessory mounting bracket + hydraulic adapter.

Tow bar (ref. MR102)



#### **RIDE-ON MOWERS**



## Hydro 100 III

#### **No-limit generation...**

While it capitalises on the strengths of the previous model, the new Hydro 100 III ride-on mower is also innovative, offering green space workers both more efficiency and greater user convenience. The Hydro 100 III is a unique concept for mowing and collecting in all weather. An ideal model for professional users with advanced mowing and collection requirements. It has a powerful new Kawasaki engine, and a large 500-litre grassbox that can be emptied in seconds thanks to its hydraulic pump. The Hydro 100 III is a model that goes beyond existing standards!



#### **Product highlights:**

#### **EFFICIENT**

High efficiency for all types of mowing: collection, mulching and cutting:

- Direct rear ejection: no obstruction between the deck and the grassbox.

- 2 counter-rotating blades that emit a powerful lift and draught effect.

- The cutting deck is a perfect combination of 100% collection and 100% mulching decks (Duocut p.4).

Hydrostatic drive transmission with differential lock for better driveability and greater safety
Twin-cylinder Kawasaki engine.

#### COMFORTABLE

- All the controls are accessible from the driving seat.

- Suttle new drive

- Low noise emission: 86,7 dB(A) for greater user comfort

- The hydrostatic drive makes gradual

movement extremely smooth

- Reverse/forward change, with no declutching. **ROBUST** 

- Chassis fully treated for corrosion protection - The cutting deck is cast in a single piece of one-centimetre thick aluminium, for extreme strength.

#### VERSATILE

Available accessories: mulching kit, spreader, snow plough, street cleaner, Road Legal Kit... (p.21).








## Technical specifications:

| Model<br>(L x w x h)**   | Hydro 100III/MKEHH<br>(290x104x130)                 |
|--|---|
| Cutting width  | 100 cm  |
| Engine   | Kawasaki FS541V OHV<br>2 cylinder (Petrol)          |
| Nominal rated power (***)<br>Constructor's maximum rated power | 603 cm³ - 10,8 kW (15 HP)<br><i>13,4 kW (18 HP)</i> |
| Maximum operating rate   | 2 900 rev/min                                       |
| Transmission   | hydrostatic on the 2 rear wheels                    |
| Speed  | Forward 0 to 12 km/h<br>Reverse 0 to 10 km/h        |
| Theoretical output (*)   | 12 000 sqm/h  |
| Clutch-operated blade  | by electromagnetic clutch                           |
| Adjustment of<br>cutting height                                | centralised with 6 positions<br>from 44 to 102 mm   |
| Grassbox emptying  | hydraulic on the ground                             |
| Grassbox capacity  | 500 L   |
| Weight   | 431 kg  |
| Road legal kit   | optional  |

(\*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) (\*\*) I = Length, w = width h = height (in cm) (\*\*\*) Nominal power at maximum operating rate



The Etesia 80 cm range offers 3 mowing options: with collection in a 240-L box, without collection using the side deflector option and with mulching using a mulching plug delivered as standard.

The Bahia and the Hydro 80 also stand out because of their extreme compactness and manoeuvrability, their user flexibility and comfort, the strength of their construction and the performance of their motor. The Bahia is the ideal ride-on mower for the demanding home gardener and its pro version, the Hydro 80, is a tool that offers a remarkable concentration of efficiency to gardening professionals.

#### **Bahia Petrol**

80 cm - 32 inch 7,1 - 8,5 - 9,3 kW Petrol Grassbox: 240 L Theoretical output: 7 200 sqm/h Collection, mulching, long grass mowing



#### Bahia M2E


80 cm - 32 inch 5,2 kW (1,7 kW + 3,5 kW) Electric Grassbox: 240 L Theoretical output: 4 000 sqm/h Collection, mulching, long grass mowing





#### Bahia MKM

85 cm - 33 inch 9,3 kW Petrol Theoretical output: 7 650 sqm/h Mulching, long grass mowing



#### User's speech:

"The Hydro 80 is probably the best machine we've purchased. We like the fact that we have one machine that can do different jobs."

David Ramsden, Contract Supervisor Places for People





## Hydro 80 MKHP3

80 cm - 32 inch 9,3 kW Petrol Grassbox: 240 L Theoretical output: 7 200 sqm/h Collection, mulching, long grass mowing



80 cm - 32 inch 9,3 kW Petrol Grassbox: 240 L Theoretical output: 7 200 sqm/h Collection, mulching, long grass mowing Connected mower Hydro 80 MKHP5 80 cm - 32 inch 9,3 kW Petrol Grassbox: 240 L Theoretical output: 7 200 sqm/h Collection, mulching, long grass mowing Differential lock



See on the website

#### **RIDE-ON MOWERS**



## Bahia range Petrol

#### For a progressive world...

Compact, tenacious, flexible and multi-tasking, bahia adapts to every terrain, every grass-cutting situation and every task. Ideal driving position, highcomfort seat, controls on dashboard, silence and safety - with Bahia, discover a whole new world of well-being. Top-quality materials, reliable technology, a large range of high-performance engines and a 3-year guarantee for parts and labour for home use. With Bahia, you are definitely going for the long-term option.



#### User's speech:

"The Bahia is small enough to go through tight openings and gates and is extremely good in tight spaces which were previously inaccessible."

Aberdour Castle (England)



#### **Product highlights:**

#### **EFFICIENT**

- Pocket-size ride-on mower, Bahia features an incredibly tight turning circle. It nips into every nook and cranny and can be easily transported.

- Pedal-controlled hydrostatic transmission for easy driving.

- Perfect for collection of dead leaves.

- Suspension cutting deck with direct rear

ejection into a 240 L grass collector (collection concept p.4) allowing perfect collection even in difficult conditions.

#### COMFORTABLE

- Intuitive: centralised controls

Safety first: petrol tank with overflow catcher.
Built-in blade brake. Several safety switches.
High-comfort seat

- A hose pipe fitting makes cleaning the cutting system quick and easy.

- Low noise level: 86 dB(A).

#### ROBUST

- Mechanically welded load-bearing chassis
- Efficient and robust engines with 7,1 to 9,3 HP
- Battery with a 3 years warranty
- Maintenance-free hydrostatic drive transmission
- Dashboard cover in EPP (expanded
- polypropylene)

#### VERSATILE

Wide range of accessories: mulching insert, side deflector for high grass mowing, spreader, snow plough, scarifier,... (p.36-37).



## Technical specifications:

| icennical specifi  |   |   |   |  |
|--|---|---|---|--|
| Model<br>(L x w x h)**   | MHHE2   | <b>MBHE2</b><br>(197,5x82,5x121)                            | MKHE3   |  |
| Cutting width  | 80 cm   |   |   |  |
| Engine   | Honda GXV390 OHV<br>(Petrol)                        | B&S Intek 4155 OHV<br>(Petrol)                              | Kawasaki FS481V OHV<br>2 cylinder (Petrol)    |  |
| Nominal rated power (***)<br>Constructor's maximum rated power   | 389 cm³ - 7,1 kW (9,5 HP)<br><i>9,6 kW (13 HP</i> ) | 502 cm <sup>3</sup> - 8,5 kW (11,5 HP)<br>11,4 kW (15,5 HP) | 603 cm³ - 9,3 kW (12,5 HP)<br>11,9 kW (16 HP) |  |
| Maximum operating rate   | 2 850 rev/min                                       |   |   |  |
| Transmission   | hydrostatic on the 2 rear wheels                    |   |   |  |
| Speed  | Forward 0 to 9 km/h<br>Reverse 0 to 8 km/h          |   |   |  |
| Theoretical output (*)   | 7 200 sqm/h   |   |   |  |
| Clutch-operated blade  | by electromagnetic clutch                           |   |   |  |
| Adjustment of cutting<br>heighte   | centralised with 5 positions<br>from 44 to 102 mm   |   |   |  |
| Grassbox capacity  | 240 L - emptying assisted by a gas cylinder         |   |   |  |
| Weight   | 230 kg  |   |   |  |
| Road legal kit   | optional  |   |   |  |
| (*) According to the mowing conditions (maximum mowing calculation x cutting width - theoretical output) |   |   |   |  |

(\*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) (\*\*) I = Length, w = width h = height (in cm) - (\*\*\*) Nominal power at maximum operating rate



See the video online

#### **RIDE-ON MOWERS**



## **Bahia Electric M2E**

#### Worldwide exclusivity, for a better future...

First 100% ELECTRIC professional ride-on-mower with grass collection. The Bahia M2E keeps all the Bahia's range advantages (comfort, performance, robutness and versatility) and brings more innovation, ecology and economy. Electric Bahia: the enjoyment of ecological mowing. True multi-functional vehicle with all year round capability to undertake all your maintenance and travel needs around the grounds without disturbence.



#### **Product highlights:**

#### **EFFICIENT**

- First 100% electric professional ride-on-mower with grass collection Autonomy: 2 hours of mowing.

- Eco-friendly: zero emission
- Running costs < 0,36 £/h, reduced running costs: no belt, no filter and no engine oil.</li>
  Efficient: perfect collection of dead leaves,

incredibly tight turning circle, nips into every nook.

 Direct rear ejection allowing perfect collection even in difficult conditions (collection concept p.4)

#### COMFORTABLE

- Safety first: petrol tank with overflow catcher. Built-in blade brake. Several safety switches.

- Low noise level: 86 dB(A).

- A hose pipe fitting makes cleaning the cutting system quick and easy.

#### ROBUST

- Mechanically welded load-bearing chassis, diameter 60 mm, epoxy finish with built-in strapping hooks.

- Brushless motor and 3-year-warranty for batteries.

- Electric transmission without any

maintenance.

- Dashboard cover in EPP (expanded polypropylene).

#### VERSATILE

Wide range of accessories: mulching insert, side deflector for high grass mowing, spreader, snow plough, scarifier,... (p. 36-37).
Built in converter and socket to power a 230v hedge cutter or strimmer.







## Technical specifications:

|       | Model<br>(L x w x h)**          | <b>Bahia M2E</b><br>(199,5x82,5x121)              |
|-------|---------------------------------|---|
| 100   | Cutting width                   | 80 cm   |
| 0.000 | Motor                           | Electric  |
| 0110  | Power                           | 1,7 kW - 48 V                                     |
| 2     | Battery                         | 4 x 12 V - 100 Ah                                 |
| ł     | Туре                            | AGM, lead acid                                    |
| 5     | Autonomy                        | 1h30 to 2h (According to the mowing conditions)   |
| 1     | Transmission blade              | Electric; 3,5 kW - 48 V                           |
| 1     | Max travel speed                | Forward /Reverse : 0 to 8 km/h                    |
|       | Mowing speed                    | Forward /Reverse : 0 to 5 km/h                    |
|       | Theoretical output (*)          | 4 000 sqm/h                                       |
|       | Adjustment of<br>cutting height | centralised with 5 positions<br>from 44 to 102 mm |
|       | Grassbox capacity               | 240 L - emptying assisted by a gas cylinder       |
|       | Weight                          | 330 kg  |
|       |                                 |   |

(\*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) (\*\*) I = Length, w = width h = height (in cm)





OD -95% The destruction of the ozone layer

METESIA bahla

ED -62 Energy consumption

See on the website

#### RIDE-ON MOWERS



## Bahia MKM

## Bahia MKM, the next generation mulching mower

MKM Bahia is equipped with a Biocut 85 cutting deck and offers a very high mulching performance. The MKM inherits the robustness, reliability, comfort, excellent ergonomics and exceptional compactness of the Bahia range of mowers.

The Bahia MKM the 100% mulching mower with additional long grass mowing ability.



#### Product highlights:

#### **EFFICIENT**

- A pocket-size ride-on mower, Bahia features an incredibly tight turning circle. Can be easily transported.

- Top-of-the-range mulching: profiled Biocut
- 85 deck (Biocut concept p.4)
- Automatic transmission

#### COMFORTABLE

- Ideal driving position, controls on dashboard - Low noise level: 86 dB(A)

- Safety first: petrol tank with overflow catcher. Built-in blade brake. Several safety switches.

- A hose pipe fitting makes cleaning the cutting system quick and easy.

- Easy maintenance thanks to quick access to all mechanical parts.

#### ROBUST

- Mechanically welded load-bearing chassis, diameter 60 mm, epoxy finish with built-in strapping hooks.

- Hydrostatic transmission

- Step, steering column cover and dashboard cover in EPP (expanded polypropylene)

- Performing engine: Kawasaki FS 481 - 12,5 HP

#### VERSATILE

From mulching to long grass cutting: built-in deflector to mow long grass with side ejection.
Wide range of accessories: spreader, snow plough, scarifier,... (p.36-37)





1

TERM

**bahia** 

## **Technical specifications:**


| Model<br>(L x w x h)**   | <b>Bahia MKM</b><br>(173x90x122)                          |  |  |
|--|---|--|--|
| Cutting width  | 85 cm   |  |  |
| Engine   | Kawasaki FS481V OHV 2 cylinder (Petrol)                   |  |  |
| Nominal rated power (***)<br>Constructor's maximum rated power | 603 cm <sup>3</sup> - 9,4 kW (12,5 HP)<br>11,9 kW (16 HP) |  |  |
| Maximum operating rate   | 3 000 rev/min   |  |  |
| Transmission   | hydrostatic   |  |  |
| Speed  | Forward 0 to 9 km/h<br>Reverse 0 to 8 km/h                |  |  |
| Theoretical output (*)   | 7 650 sqm/h   |  |  |
| Clutch-operated blade  | by electromagnetic clutch                                 |  |  |
| Adjustment of<br>cutting height                                | centralised with 5 positions<br>from 44 to 102 mm         |  |  |
| Weight   | 230 kg  |  |  |
| Road legal kit   | optional  |  |  |
| (*) According to the mowing conditions (maximum mowing         |   |  |  |

(\*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output)
 (\*\*) I = Length, w = width h = height (in cm)
 (\*\*\*) Nominal power at maximum operating rate



See on the website

#### RIDE-ON MOWERS



## Hydro 80 range

#### **Total efficiency**

The Hydro 80 cuts and collects both long and short grass, without clogging. But this little workhorse does much more: for non-collection there is side discharge or rear ejection for longer grass. If you want a mulching mower - Hydro 80 does that too. The Hydro 80 can adapt to all ground conditions, which makes it an incredible versatile machine for the professional landscaper.



#### User's speech:

"Manoeuvrability of the Hydro 80 is fantastic. The fact that they can fit through gates whilst cutting and collecting even in the wet is by far its best feature".

Craig Stockton Managing Director Sherratt Landscapes

#### Product highlights:

#### **EFFICIENT**

- Direct rear ejection allowing perfect collection even in difficult conditions (collection concept p.4)

- Suspended cutting deck with anti-scalp rollers which keep the blades out of trouble.

- Compact design: Hydro 80 can pass through most gateways and its tight turning circle makes it ideal for small or awkward areas, easily overcomes all obstacles

- Differential lock for better slope resistance and snow removal (MKHP5 model)

#### **COMFORTABLE & EASY OPERATION**

- Ergonomic controls that are carried out from the driving seat

- Smooth ride thanks to the built-in shock absorber system

 Low maintenance thanks to the easy access to the engine and all working parts
 Quick cleaning of the cutting deck
 Hydrostatic transmission with foot control

#### **ROBUST, COMPACT & RELIABLE**

- Specially coated 60 mm tubular chassis

- Direct belt transmission
- Reinforced and protected blade of 80 cm.
- Adjustable electromagnetic belt clutch

#### VERSATILE

Wide range of accessories: mulching insert, side deflector for high grass mowing, spreader, snow plough, street cleaner, scarifier, Road Legal Kit... (p.36-37)





# 

## Technical specifications:

| Model<br>(L x w x h)**   | Hydro 80/MKHP3   | <b>Hydro 80/MKHP4</b><br>(199,5x82,5x130) | Hydro 80/MKHP5 |  |  |
|--|--|---|----------------|--|--|
| Cutting width  | 80 cm  |   |                |  |  |
| Engine   | Kawasaki FS481V OHV 2 cylinder (Petrol)  |   |                |  |  |
| Nominal rated power (***)<br>Constructor's maximum rated power | 603 cm <sup>3</sup> - 9,3 kW (12,5 HP)<br>11,9 kW (16 HP)  |   |                |  |  |
| Maximum operating rate   |  | 2 850 rev/min                             |                |  |  |
| Transmission   | h  | ydrostatic on the 2 rear wheels           |                |  |  |
| Speed  | Forward 0 to 9 km/h<br>Reverse 0 to 8 km/h   |   |                |  |  |
| Theoretical output (*)   | 7 200 sqm/h  |   |                |  |  |
| Clutch-operated blade  | by electromagnetic clutch  |   |                |  |  |
| Adjustment of cutting height                                   | t centralised with 5 positions from 44 to 102 mm   |   | 02 mm          |  |  |
| Grassbox capacity  | 240 L  | emptying assisted by a gas cyli           | nder           |  |  |
| Weight   | 240 kg   |   |                |  |  |
| Road legal kit   | optional - optio   |   | optional       |  |  |
| Connected  | · · /  |   | -              |  |  |
| Differential lock  | - ·  |   | <b>v</b>       |  |  |
| (*) According to the mowing condit                             | (*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) |   |                |  |  |

 (\*) According to the mowing conditions (maximum (\*\*) I = Length, w = width h = height (in cm) (\*\*\*) Nominal power at maximum operating rate See on the website








## Concept Hydro 80 CONNECT

#### INNOVATIVE - CONNECTED - COMPACT -EFFICIENT

The e-connect version turns the Hydro 80 into a real concentrate of technology: the first connected mower!

The ETESIA application connects to the Hydro 80, which enables the user to access all information about his machine. He becomes its unique virtual owner.

Winner of the 2017 SALTEX Award for Innovation



#### **BENEFITS OF THE INNOVATION**

- Recognition and display of nearby machines on the app via Bluetooth.
- Information about the machines or machines connected to the application : model, serial no...
- Online ordering of accessories and spare parts.
- Access to online documents with one click
- Real-time monitoring of information about the machine or the machine base.
- Machine maintenance monitoring : next service date, reseller information, costs, ...
- Possibility to delegate machine rights to other users





#### **RIDE-ON MOWERS**

# Hydro 80 CONNECT

Innovations

#### **TECHNOLOGICALLY ADVANCED** The e-connect version has the same qualities as the Hydro 80 with innovation and more.



#### **NEW CONTROL PANEL**

- LCD display screen
- Membrane keypad
- RFID antenna



#### ACCESS TO THE APPLICATION IN A FEW CLICKS

- Creating a personal space
- Logging on to a Facebook or Twitter account
- Accessing all information about your machine



#### THE IGNITION KEY HAS BEEN REPLACED BY **AN RFID CARD**

- Manages user profiles (right to use the identified machine or machines)
- Theft security function



#### FULL SHUT DOWN SYSTEM

- Saves and protects the battery during extended machine stops
- Helps protect the battery and extend its life
- Machine battery disconnection (safety while working on the machine, during transport etc.)



# Range Bahia - Hydro 80 Accessories

## THE COMPACT MACHINES FOR GENERAL PURPOSE

Mowing and collecting, high grass mowing, mulching, towing, snow clearing. They adapt to all types of mowing, all the jobs, in all seasons.





## Mulching Outstanding mulching thanks to the Biocut 85 mulching deck delivered with the Bahia collecting riders and the Hydro 80.

**GREEN SPACE MAINTENANCE** 









Long grass mowing

Standard Bahia collecting riders: removable grassbox base for direct rear ejection of long grass. Side deflector for long grass mowing. For Bahia mulching: extreme long grass mowing thanks to the deflector integrated to the cutting deck (exclusive Etesia patent).

#### Scarifier

With a working width of 80 cm, the scarifier for Bahia, Hydro 80 and Attila SKD allows you to aerate and clean your lawn with considerable efficiency. This tool is particularly important for wet and shaded plots. It allows your lawn to breathe by ridding it of the moss that suffocates it. With this accessory, we will help your grass to look even more beautiful!

#### Weeder

With its patented process, the StabNet 70 offers very precise mechanical weeding. Whether the plot is flat or canted (up to 20° or 20%), levelling is precise thanks to its adjustable skirt. StabNet can adapt to stabilised, gravelled or sand-covered paths.

#### **Spreader**

To put fertilizer on your lawn (60 L).

#### **TRANSPORT**



**Tow bar** With a Tow bar, your mower is turned into a towing vehicle that goes everywhere.

**Luggage rack** (\*) Factory-installed only.



**Road legal kit Exclusively from ETESIA** in this machine category. Factory-installed only.

#### **SNOW EQUIPMENT**



**Snow clearance** Snow plough to clear snow from your paths and pavements fast.

#### **Spreader** To spread grit or sand in winter (60 L).

#### **MOBILE POWER SOURCE**



#### Electric converter (\*)

With its converter, the Bahias electric M2E/VTE become a mobile power source, to which you can connect a large number of wired electrical devices (power < 700 W). The machine will enable you to carry out a number of tasks all over the space. *Requires luggage rack* 

|   | REF.              | Bahia    | Bahia M2E             | Bahia MKM                      | Hydro 80              | H80 e-connect        |
|---|-------------------|----------|-----------------------|--------------------------------|-----------------------|----------------------|
| MULCHING INSERT                         | MU80N             | standard | standard              | Mulching Plug as standard      | standard              | standard             |
| DEFLECTOR                               | MD803             | ~        | <b>~</b>              | integrated in the cutting deck | ~                     | <ul> <li></li> </ul> |
| Spreader                                | MET               | ~        | <b>~</b>              | <ul> <li>✓</li> </ul>          | ~                     | <ul> <li></li> </ul> |
| Tow bar                                 | MR80              | ~        | <b>~</b>              | standard                       | ~                     | ~                    |
| SNOW PLOUGH***                          | MV80N3            | ~        | <ul> <li>✓</li> </ul> | <ul> <li>✓</li> </ul>          | ~                     | ~                    |
| Scarifier***                            | MM103             | ~        | <ul> <li>✓</li> </ul> | <b>v</b>                       | ~                     | ~                    |
| CONVERTER*                              | OMCE80            | -        | <b>v</b>              | -                              | -                     | -                    |
| LUGGAGE RACK*                           | OMPB80            | ~        | <b>v</b>              | <ul> <li>✓</li> </ul>          | <ul> <li>✓</li> </ul> | ~                    |
| BATTERY CHARGER                         | МСВ               | ~        | standard              | <b>v</b>                       | ~                     | -                    |
| Road legal kit                          | OMX80             | ~        | -                     | <b>v</b>                       | ~                     | -                    |
| TIELBÜRGER SWEEPER**                    | -                 | -        | -                     | -                              | ~                     | ~                    |
| MECHANICAL WEEDER                       | MAV70             | -        | -                     | -                              | ~                     | ~                    |
| *) As long as available (**) Sold by ou | r nartner Tielbür |          |                       |                                |                       |                      |

7\*\*) Requires a mounting bracket for the use of the scarifier and the



The Etesia range of walk-behind mowers guarantees clean, efficient work whatever the conditions...

Etesia lawnmowers are the fruit of a unique half-century long experience of green space management, so they combine effectiveness in performing the task, ergonomics at work and quality manufacturing. Designed for an irreproachable quality of mowing and optimum efficiency, they also provide the use with comfort and safety, whilst also guaranteeing solidity and durability.

Etesia professional lawn mowers range, offers you a wide range of machines capable of underaking all your mowing needs and surface maintenance.

#### Pro 53

53 cm - 21 inch Self-propelled 2,7 - 2,9 kW/Petrol Grassbox: 85 L Theoretical output: 2 910 sqm/h Collection, mulching, long grass mowing Hydraulic motors



#### Pro 51

51 cm - 20 inch Self-propelled 2,9 - 2,6 kW/Petrol Grassbox: 72 L Theoretical output: 2 240 sqm/h Collection, long grass mowing

#### **Pro 46 Evolution**

46 cm - 18 inch Push mower or Self-propelled 2,8 - 3 kW/Petrol Grassbox: 56 L Theoretical output: 1 380 to 1 880 sqm/h Collection, mulching, long grass mowing



are bullet proof but also light weight which enables one-man grass cutting teams to operate." Craig Stockton Managing **Director Sherratt Landscapes** 

Multiple mowing

Highly impact-resistant deck

Powerful engines



Duocut 41-46 N-ERGY Pro 46 The reference Duocut 46 N-ERGY 2 Biocut 53 46 cm - 18 inch 53 cm - 21 inch 46 cm - 18 inch 41 cm-16 inch / 46 cm-18 inch Self-propelled 3,1 kW/Petrol Push mower or Self-propelled Push mower

3,4 kW/Petrol Grassbox: 52 L Theoretical output: 1 880 sqm/h Collection, long grass mowing Push mower or Self-propelled 36 VDC - 1 kW/Electric Grassbox: 50-56 L Theoretical output: 1 230 sqm/h to 1 518 sqm/h Collection, mulching, long grass mowing

1,5 kW/Electric Grassbox: 56 L Theoretical output: 1 610 sqm/h Collection, mulching, long grass mowing

# Mulching Theoretical output: 2 430 sqm/h



MOWERS



## Range Pro 53

#### **The Green Revolution**

The unique transmission with 2 hydraulic engines offers you great handling and slope performance unrivalled in its category. The innovative mowing deck and blade design on the Pro 53 combines professional quality cutting, collecting and mulching in a single machine.



#### User's speech:

"We use the Pro 53 which is very practical thanks to its reverse gear. These machines are well thought out." Regional Council of Hauts-de-Seine



#### **Product highlights:**

#### **EFFICIENT**

- The cutting deck is a perfect combination of 100% collection and 100% mulching decks. (Duocut concept p.4)

Converting to the mulching function couldn't be easier or faster. You simply slot in the mulching kit (provided with the machine) without using any tools or replacing the blade.
Professional quality cutting, collecting and

mulching in a single machine

Cutting heights: individual adjustment on each wheel. 5 pre-set, easy-to-handle positions ranging from 25 to 85 mm
Excellent on slopes: can be used on slopes up to 20°

#### COMFORTABLE

- Hydraulic transmission with 3 forward speeds and 1 reverse with automatic transition from reverse to forward motion.

- Differential lock (LKX2)
- Blade stopping
- Vibration level of the handlebars very low **ROBUST**

- Transmission consists of two hydraulic motors fitted onto the rear wheels and connected to a hydraulic pump

- Cast aluminium mowing deck is rustproof and particularly resistant to damage.

- Adjustable electromagnetic clutch





1 1

## Technical specifications:

|  |  | CALL CALCULATION OF A DATA SALES                               |
|--|--|--|
| Model<br>(L x w x h)**   | <b>Pro 53 LH2</b><br>(170x57,5x107)                    | <b>Pro 53 LKX2</b><br>(170x57,5x107)                           |
| Cutting width  | 53 cm  | 53 cm  |
| Engine   | Honda GXV160 OHV                                       | Kawasaki FJ180V OHV  |
| Nominal rated power (***)<br>Constructor's maximum rated power | 163 cm <sup>3</sup> - 2,7 kW (3,7 HP)<br>4 kW (5,5 HP) | 179 cm <sup>3</sup> - 2,9 kW (3,9 HP)<br><i>4,5 kW (6 HP</i> ) |
| Speed  | 3 speed from 0<br>to 5,5 km/h                          | 3 speed from 0<br>to 5,5 km/h                                  |
| Theoretical output (*)   | 2 910 sqm/h  | 2 910 sqm/h  |
| Grassbox capacity  | 85 L   | 85 L   |
| Weight   | 75 kg  | 77,5 kg  |
| /*\ A   !  !   | the 1 t  | ·  |

(\*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) (\*\*) I = Length, w = width h = height (in cm) (\*\*\*) at 2 750 rev/min



MOWERS

# Range **Pro 51**

#### **Built for any grass condition**

Powerful, compact, easy to use, safe, Pro 51 is ideal for a wide range of grass conditions.



#### Product highlights:

#### **EFFICIENT**

- Collection in all conditions (collection concept p.4)

- Mowing thanks to the deflector
- Can be used on slopes up to  $20^\circ$

- Good grip on slope: the speed can be adapted without the machine "running away" on steep slopes, so the operator is always in control.

- Semiagrarian rear wheel profile

#### COMFORTABLE

- Easy access to the grassbox from either side of the machine. Pro 51 handlebar folds, without the use of tools

- Centralised controls on handlebars

- Central cutting height adjustment system from 33 to 88 mm

- Easy emptying of the grassbox and cleaning **ROBUST** 

- Cutting deck moulded in one cast aluminium part

- Wheels with bearings

- Aluminium front wheel rims

- Cables encased in a rubber sheath for protection against damage



a sinifi



## Technical specifications:

ETESIA

| Model<br>(L x w x h)**                                      | <b>Pro 51 X</b><br>(145x55x110)                                | <b>Pro 51 D</b><br>(145x55x110)                               |
|---|--|---|
| Cutting width   | 51 cm  | 51 cm   |
| Engine  | Honda<br>GXV160 OHV  | B&S 750 Series<br>DOV Ready Start                             |
| Nominal rated power (***)<br>Constructor's max. rated power | 163 cm <sup>3</sup> - 2,9 kW (3,9 HP)<br><i>4 kW (5,5 HP</i> ) | 161 cm <sup>3</sup> - 2,6 kW (3,5 HP)<br><i>4,4 kW (6 HP)</i> |
| Speed   | from 0 to 4,4 km/h   | from 0 to 4,4 km/h  |
| Theoretical output (*)                                      | 2 240 sqm/h  | 2 240 sqm/h   |
| Grassbox capacity   | 72 L   | 72 L  |
| Weight  | 60 kg  | 58 kg   |

(\*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) (\*\*) I = Length, w = width h = height (in cm) (\*\*\*) at 2 900 rev/min

MOWERS



## Range Pro 46 Evolution

# Pro 46 a three-in-one semi professional mower

The Pro 46 professional mower is extremely versatile, and is capable of mowing with or without collection in all conditions, or allowing high-quality mulching.



#### User's speech:

"The Pro 46 have really come into their own because they have been so good at cutting and collecting in the wet weather we've experienced. We have mobile grass cutting teams and the new Duocut models have been popular with them because they are very light for people to lift on and off van/trailer from site to site." **Durham university (England)** 

## OMFORTABLE EASY-TO-REACH AND EFFORTLESS CONTROLS RECESSED HANDLEBAR SHAPE KEEPS YOUR HANDS SAFE RANSMISSION ATC AORE COMFORT AND RELIABILITY INTEGRATED AUTONOMY IGID GRASSBOX -LITRE TANK MODEL PKTCM BOX FILLING INDICATOR 56 L ENGINE POWERS OWERFUL AND FLEXIBLE CUTTING HEIGHT NDIVIDUAL ADJUSTMENT FROM 28 TO 88 MM DISENGAGEABLE BLADE SYSTEM GRASSBOX EMPTYING WITH OUT STOPPING THE ENGINE 46 см CUTTING WIDTH REINFORCED XENO CUTTING DECK HIGHLY IMPACT-RESISTANT MATERIAL

#### Product highlights:

#### **EFFICIENT**

- The three-in-one mower: capable of mowing with or without collection or allowing highquality mulching, all that without the need for any accessories! (Mulching insert supplied)

- Combination between 100% collection and
- 100% mulching decks (Duocut concept p.4) - Very high collection performance as well

because the grass is cut finely, even if it is long and wet.

#### COMFORTABLE

- Comfortable coating on handlebar, and effortless control

- Disk transmission system: smooth movement, soft start and no maintenance

Autowash wheels mounted on ball bearingsHeight-adjustable handlebar with three

positions and folded position

- Easy emptying of the grassbox and cleaning. **ROBUST** 

- Deck made of Xenoy, a light and highly impact-resistant material compared to standard ABS

- Powerful engines fitted with a 4-liter tank.



THE OWNER



## **Technical specifications:**

| Model<br>(L x w x h)**   | Pro 46 Evolution PKCTM<br>(153x52x100)             | Pro 46 Evolution PHCT<br>(153x52x100)                        | Pro 46 Evolution PHCS<br>(153x52x100)                       |
|--|--|--|---|
| Cutting width  | 46 cm  | 46 cm  | 46 cm   |
| Engine   | Kawasaki FJ 180V KAI OHV                           | Honda GCV160 OHV   | Honda GCV160 OHV  |
| Nominal rated power (***)<br>Constructor's maximum rated power | 179 cm <sup>3</sup> - 3 kW (4 HP)<br>4,4 kW (6 HP) | 160 cm <sup>3</sup> - 2,8 kW (3,8 HP)<br><i>4 kW (5 HP</i> ) | 160 cm <sup>3</sup> - 2,8 kW (3,8 HP)<br><i>4 kW (5 HP)</i> |
| Speed  | 4,1 km/h   | 3,6 km/h   | Push mower  |
| Theoretical output (*)   | 1 880 sqm/h  | 1 880 sqm/h  | 1 380 sqm/h   |
| Grassbox capacity  | 56 L   | 56 L   | 56 L  |
| Weight   | 52 kg  | 41 kg  | 37 kg   |

(\*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) (\*\*) I = Length, w = width h = height (in cm) - (\*\*\*) at 2 900 rev/min



MOWERS



## Range Pro 46 The reference

The PRO 46 models offer the possibility to mow in all conditions with or without collecting. One of the main features of the PRO 46 is the "One Cut" principle. This means that the grass is only cut once before it is fed into the grassbox. The advantages: this considerably reduces consumption and prevents the grass from sticking to the mowing deck, thus avoiding repeated blockage of the channel.



#### **User's speech:**

"The Pro 46 is well built, solid and 100% reliable. We can't be without them. If you want a commercial mower to last, which is trouble free, buy an Etesia."

John Vincent. Green Grass Services.

#### Product highlights:

#### **EFFICIENT**

- The PHTS3 is equipped with a single gear, the PHE3 is manually propelled

- Individual cutting height adjustment on each wheel.

- Collecting: the grass is only cut once before it is transported into the grass box. Thus less energy is required and a sticking of the crop to the mowing deck is avoided.

Mowing high grass: turn your lawn mower into a high grass mower, by using the catcher from the container. Mows high and wet grass.
Mulching set as option

#### COMFORTABLE

- Easy to start and reliable
- Reduced volume and vibration
- Easy to maintain

#### ROBUST

- Equipped with the latest Honda engine -GVCX 170

- Mowing deck made of XENOY®







## **Technical specifications:**

| Model<br>(L x w x h)**  | <b>Pro 46 PHTS3</b><br>(142,5x52x103,5)                         | Pro 46 PHE3<br>(142,5x52x103,5)                                 |  |
|---|---|---|--|
| Cutting width   | 46 cm   | 46 cm   |  |
| Engine  | HONDA GCVX 170  | HONDA GCVX 170  |  |
| Nominal rated power (***<br>Constructor's maximum rated power | 166 cm <sup>3</sup> - 3,4 kW (4,6 HP)<br><i>3,6kW (5,8 HP</i> ) | 166 cm <sup>3</sup> - 3,4 kW (4,6 HP)<br><i>3,6kW (5,8 HP</i> ) |  |
| Speed   | 3,4 km/h  | Push mower  |  |
| Theoretical output (*)  | 1 880 sqm/h   | 1 880 sqm/h   |  |
| Grassbox capacity   | 52 L  | 52 L  |  |
| Weight  | 37 kg   | 32 kg   |  |
| (*) According to the mowin                                    | a conditions (maximum   | mowing calculation x  |  |

(\*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) (\*\*) I = Length, w = width h = height (in cm) - (\*\*\*) at 2 900 rev/min



MOWERS



## Range Duocut 41-46 N-ERGY

The battery-operated Duocut **N-ERGY** walk selfpropelled mower gives professional users a means for efficient, environmentally friendly and profitable mowing.

This is a high-quality multifunctional mower which is environmentally responsible, compact, rugged and efficient. It can easily handle collection, mulching and mowing.

It provides the benefits of electric mowers without their drawbacks: It operates in silence. No more power cord! 33% savings compared to petrol. Battery range up to 2000 sq.m.



#### Product highlights:

#### **EFFICIENT**

- Eco-friendly: zero emissions

- Economic: 33% energy savings in relation to petrol, low maintenance cost: no belts, filters or engine oil

- Three-in-one multifunctional mower: mowing with collection, mulching and grass cutting, no tools required for changes (standard mulching insert delivered)

- Exclusive Duocut deck that is the perfect combination of 100% collection and 100% mulching decks. Very high collection performance, even in extreme conditions and very good mulching results.

#### COMFORTABLE

- Silent and stable: thanks to its very low acoustic pressure at the point of operation (82 dB(A)) and handlebar vibration (<2.5 m/s<sup>2</sup> (ahw)), the N-ERGY mower takes the stress out of mowing. It helps significantly reduce noise and the harm (musculoskeletal disorders) that can result from the regular and intensive use of conventional mowers

- User friendly and easy to use: simple and intuitive controls with a soft coating; less effort to hold the controls, folding height-adjustable handlebar with three positions

- Height-adjustable handlebar with three positions and folded position.

#### ROBUST

- Very rugged Xenoy deck: stronger than synthetic material such as polypropylene and standard ABS.

- Wheels with self-cleaning profiles and ball bearings.







## Technical specifications:

| Model<br>(L x w x h)**     | Duocut 41<br>N-ERGY NACTS<br>(142:            | Duocut 41<br>N-ERGY NACS<br>×48×106) | Duocut 46<br>N-ERGY PACS<br>(153x52) | Duocut 46<br>N-ERGY PACTS<br>×106) |  |
|----------------------------|---|--------------------------------------|--------------------------------------|------------------------------------|--|
| Cutting width              | 41 cm   |                                      | 46 cm                                |                                    |  |
| Motor                      |   | Electric 1000 W                      |                                      |                                    |  |
| Battery                    |   | Lithium polymer accumulator          |                                      |                                    |  |
| Battery voltage            |   | 36 V – 21 Ah                         |                                      |                                    |  |
| Average autonomy           | 1h30 working (according to mowing conditions) |                                      |                                      |                                    |  |
| Speed                      | 3 km/h Push mower 3,5 km/h                    |                                      |                                      | 3,5 km/h                           |  |
| Theoretical output (*)     | 1 230 sqm/h                                   |                                      | 1 380 sqm/h                          | 1 518 sqm/h                        |  |
| Grassbox capacity          | 50 L 56 L                                     |                                      |                                      | 6 L                                |  |
| Weight                     | 35 kg   | 34 kg                                | 37 kg                                | 40 kg                              |  |
| (*) According to the mowin | ng conditions                                 | 1 1 A A A A                          | ALC: YOU DOWN                        | A CORE OF                          |  |

(\*\*) I = Length, w = width h = height (in cm)



#### MOWERS



## Duocut 46 N-ERGY-2

The new battery-operated DUOCUT N-ERGY walk behind mowers give professional users a means for efficient, clean and cost-effective mowing. These are top-of-the-range multifunctional mowers: they are ecological, compact, rugged and efficient. It provides the benefits of electric mowers without their drawbacks. Silent with no more power cord.



#### Product highlights:

#### **EFFICIENT**

- Ecological: no pollutant emissions.

- Cost-effective: You save a third of the energy consumption costs compared to petrol, with low maintenance (no spark plug, filter or engine oil).

- Cutting deck: A cross between 100 % collection and 100 % mulching decks offering very high collection performance and excellent mulching results.

#### COMFORTABLE

- Silent and stable: Acoustic pressure 79 dB(A) and handle vibration <2 m/s<sup>2</sup> (ahw). Greatly reduces noise and physical stress (MSDs: muscu-loskeletal disorders)

- Ergonomic and easy to use: Simple and intuitive controls with comfortable coating, less force required for holding the controls.

#### ROBUST

- Very rugged reinforced casing: lightweight and stronger than synthetic materials such as standard ABS

- Brushless electric engine powered by an 82 V/5 Ah lithium-polymer battery.







## Technical specifications:

| Model<br>(L x w x h)** | Duocut 46 N-ERGY 2 PABCTS<br>(152x51x94)                                   |  |
|------------------------|--|--|
| Cutting width          | 46 cm  |  |
| Engine                 | Brushless electric engine powered by<br>an 82V/5Ah lithium-polumer battery |  |
| Speed                  | from 0 to 3,5 km/h   |  |
| Cutting height         | Centralised with 3 positions   |  |
| Theoretical output*    | utput* 1 610 sqm/h   |  |
| Weight                 | 35,5 kg  |  |
| (*) According to the m | and the second state of the section of the                                 |  |

(\*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) (\*\*) I = Length, w = width h = height (in cm)



#### MOWERS



## **Biocut 53**

#### **Efficient even in long grass**

The powerful, high-performance mower Biocut 53 ensures a quick, clean, environmentally-friendly cut. The mulching cover can be removed to convert the Biocut 53 into a direct rear ejection mower, which is highly efficient in tall and wet grass.



#### **Product highlights:**

#### **EFFICIENT**

- Mulching and grasscutting: Etesia's cutting deck design with new profiled Biocut® blade lifts the grass before it is cut. The clippings are retained in the cutting deck and recut several times before being ejected as fine particles onto the turf where they will decompose naturally. A quick, clean, environmentally friendly cut.

- **BIOCUT Concept**: thanks to the removable shutter, the Biocut 53 turns into a mowing with rear discharge, in order to be efficient even in high grass.

#### COMFORTABLE

Intuitive: centralised controls on handlebarsEasy to transport

- Handlebar fully adjustable so it can also be folded

- Safety: large blade brake system stops the blade in 3 seconds after releasing the operating lever.

#### ROBUST

- Powerful Kohler engine delivers 3,1HP cutting, the machine's controls can be set on the economy position for lower fuel consumption - Transmission movement with 3 speed, without any maintenance, for a smooth drive.









## Technical specifications:

| Model<br>(L x w x h)**   | <b>Biocut 53 ME53C</b><br>(149x56x98)                              |
|--|--|
| Cutting width  | 53 cm  |
| Engine   | Kohler Courage XT775   |
| Nominal rated power (***)<br>Constructor's maximum rated power | 173 cm <sup>3</sup> - 3,1 kW (4,2 HP)<br>3,6 kW (5,2 HP)           |
| Speed  | centralised cutting height with<br>3 positions: from 0 to 4,6 km/h |
| Theoretical output (*)   | 2 430 sqm/h  |
| Weight   | 43 kg  |
|  |  |

(\*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) (\*\*) I = Length, w = width h = height (in cm) (\*\*\*) at 3 000 rev/min Children and



work whatever the conditions...

Etesia lawnmowers are the fruit of a unique half-century long experience of green space management, so they combine effectiveness in performing the task, ergonomics at work and quality manufacturing. Designed for an irreproachable quality of mowing and optimum efficiency, they also provide the use with comfort and safety, whilst also guaranteeing solidity and durability. (see p.4).

The Etesia lawnmowers range thus offers the robustness of profesional equipment combined with ease of use.



#### Duocut 53

53 cm - 21 inch Self-propelled 3 kW/Petrol Grassbox: 80 L Theoretical output: 2 385 sqm/h Collection, mulching, long grass mowing



#### 46 cm - 18 inch Push mower or Self-propelled 2,5 to 2,8 kW/Petrol Grassbox: 56 L Theoretical output: 1 380 to 1 970 sqm/h Collection, mulching, long grass mowing

#### Duocut 37-41

37 - 41 cm / 14 - 16 inch Push mower or Self-propelled 1,3 kW - 1,5 kW/Electric Grassbox: 39-50 L Theoretical output: 1 120 sqm/h Collection, mulching, long grass mowing





#### User's speech:

"The quality of cut is always excellent. The Duocut mowers are worked really hard throughout the year and just routine servicing is all we ever need. They are a real work-horse. You certainly get what you pay for and they were a sound investment, more than earning their keep." Landscape Group

Duocut cutting deck



Centralised cutting height



Duocut 46 N-ERGY 2

46 cm - 18 inch Self-propelled 1,5 kW/Electric Grassbox: 56 L Theoretical output: 1 610 sqm/h Collection, mulching, long grass mowing (see p.50)

## Duocut 41-46 N-ERGY

41 - 46 cm / 16 - 18 inch Push mower or Self-propelled 1 kW/Electric Grassbox: 50-56 L Theoretical output: 1 230 to 1 518 sqm/h Collection, mulching, long grass mowing (see p.48)



#### MOWERS



## **Duocut 53 Petrol**

#### **Duocut 53 a three-in-one mower**

The Duocut 53 lawnmower is the big sister of the Duocut range: wider cutting width, more powerful and more robust. Ideal for large gardens.



#### Product highlights:

#### **EFFICIENT**

- High performance thanks to its exclusive cutting deck which includes the Duocut concept (p.4)

- Very high collection performance as well because the grass is cut finely, even if it is long and wet

#### COMFORTABLE

- Kawasaki motor with Easy-Start

- Simple and intuitive controls with a soft coating

- Wheels with self-cleaning profiles and ball bearings

- Easy to transport:Height-adjustable handle bar with three positions and a folded position - Silent: low (84 dB(A)) acoustic pressure at the driving seat, and also low acoustic power (96 dB(A) guaranteed) and handlebar vibrations (4 m/s<sup>2</sup> (ahw))

- Sure: recessed handlebar shape to keep your hands safe while mowing close to an obstacle (wall, tree etc.)

#### ROBUST

- Deck made of Aluminium, a highly impactresistant material compared to standard polypropylene and ABS

- Mower with a 3 years domestic warranty and deck with a 10 years warranty for domestic users







## **Technical specifications:**

| -  |  |
|--|--|
| Model<br>(L x w x h)**   | <b>Duocut 53 LKCGM</b><br>(171x56x100)                       |
| Cutting width  | 53 cm  |
| Engine   | Kawasaki FJ180V KAI  |
| Nominal rated power (***)<br>Constructor's maximum rated power | 179 cm <sup>3</sup> - 3 kW (4,1 HP)<br><i>4,4 kW (6 HP</i> ) |
| Speed  | 2,7 - 3,5 - 4,5 km/h   |
| Theoretical output (*)   | 2 385 sqm/h  |
| Grassbox capacity  | 80 L   |
| Weight   | 64 kg  |

(\*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) (\*\*) I = Length, w = width h = height (in cm) (\*\*\*) at 2 900 rev/min

57



#### MOWERS



## **Duocut 46 Petrol**

#### **Duocut 46 range of three-in-one mowers.**

The Duocut 46 mowers are extremely versatile, and are capable of mowing with or without collection in all conditions, or allowing high-quality mulching. And they do all that with no need for an accessory! Available in self-propelled (RMBE) and in push version (RMCS).



#### Product highlights:

#### **EFFICIENT**

- Mulching, Conventional mowing with or without collection, It's up to you. That high performance is possible thanks to the Duocut concept (p.4)

- The grass is maximally compacted into the grassbox

- Slopes < 18% or 10°

#### **COMFORTABLE**

- Height-adjustable handlebar with three positions and a folded position

- Comfortable coating on handlebar, and effortless control

- Silent and stable: with low (84 dB(A) acoustic pressure at the driving seat, and also low acoustic power (96 dB(A) guaranteed) and handlebar vibrations (3 m/s<sup>2</sup> (ahw))

- Recessed handlebar shape to keep your hands safe while mowing close to an obstacle (wall, tree etc.)

- Blade clutch (RMHB)

#### ROBUST

- Kohler or Honda engine ≥ 4,1 kW
- B&S engine with easy start (RMBE)

- Deck made of Xenoy, a highly impactresistant material compared to standard polypropylene and ABS

- Mower with a 3 year domestic warranty and cutting deck with a 10 years warranty for domestic users

- Wheels with ball bearings





Ask for a free demonstration



## Technical specifications:

|  |  | CONTRACTOR OF THE OWNER WATER OF THE OWNER OF THE OWNER.       |  |
|--|--|--|--|
| Model<br>(L x w x h)**   | Duocut 46 RMCS<br>(152x51x94)                                    | Duocut 46 RMBE<br>(150x51x110)                                 |  |
| Cutting width  | 46 cm  |  |  |
| Engine   | Kohler XT Serie 675 OHV  | B&S 775 DOV IS Serie Instart                                   |  |
| Nominal rated power (***)<br>Constructor's maximum rated power | 149 cm <sup>3</sup> - 2,5 kW (3,4 HP)<br><i>3,6 kW (5,2 HP</i> ) | 161 cm <sup>3</sup> - 2,6 kW (3,5 HP)<br><i>3,5 kW (5 HP</i> ) |  |
| Speed  | Push mower   | 3,6 km/h   |  |
| Theoretical output (*)   | 1 380 sqm/h  | 1 970 sqm/h  |  |
| Grassbox capacity  | 56 L   |  |  |
| Weight   | 36 kg  | 40 kg  |  |

(\*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) (\*\*) I = Length, w = width h = height (in cm) - (\*\*\*) at 2 900 rev/min



#### MOWERS



## Duocut 37 - 41 Electric

# Electrical mulching-mower Duocut 41, the three-in-one mower

The Duocut 41 electrical mulching-mower is extremely versatile, and is capable of mowing with or without collection in all conditions, or allowing high-quality mulching. **Duocut electrical, the pleasure of clean mowing.** 



#### Product highlights:

#### **EFFICIENT**

- Mulching, Conventional mowing with or without collection, It's up to you. That high performance is possible thanks to the Duocut concept (p.4)

- The grass is maximally compacted into the grassbox

- Filling indicator
- Slopes <18% or 10°

#### COMFORTABLE

- Electric 1300 W motor, silent, without any maintenance, Easy-Start

- Comfortable and effortless controls with comfortable coating

Autowash wheels mounted on ball bearings
Easy to transport: height-adjustable handlebar with three positions and a folded position
Sure: recessed handlebar shape to keep your hands safe while mowing close to an obstacle (wall, tree etc.)

#### ROBUST

- Deck made of polypropylene, a light and highly resistant material

- Mower with a 3 year domestic warranty and cutting deck with a 10 years warranty for domestic users







## Technical specifications:

|                              | 2023                         | A REPORT AND THE ADDRESS OF A DAMAGE SCHOOL |
|------------------------------|------------------------------|---|
| Model<br>(L x w x h)**       | <b>VECS</b><br>(137x42x94)   | <b>NECTS</b><br>(142x48x98)                 |
| Cutting width                | 37 cm                        | 41 cm                                       |
| Motor                        | Asynchrone 230 V             | Asynchrone 230 V                            |
| Displacement/Power(***)      | 1,3 kW                       | 1,5 kW                                      |
| Speed                        | Push mower                   | Self-propelled                              |
| Theoretical output (*)       | 1 110 sqm/h                  | 1 120 sqm/h                                 |
| Collector content            | 39 L                         | 50 L  |
| Adjustment of cutting height | centralised from 28 to 85 mm | centralised from 28 to 85 mm                |
| Weight                       | 17 kg                        | 33 kg                                       |
| /*/ ▲                        |                              |   |


(\*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) (\*\*) I = Length, w = width h = height (in cm)



Attila professional reapers and brushcutters are designed to cope with the most difficult conditions. They are ideal for second homes, meadows, orchards, fallow land, verges and embankments. Very robust, but also extremely manoeuvrable, they guarantee unrivalled effectiveness.

Attila range offers you a wide range of machines ready to undertake your toughest jobs.





"We call it the Daddy – it even pulls logs out of the way and does everything a 'normal' mower can do and so much more."

Ian Armstrong, Head Groundsman for the Parish Council









Efficient transmissions





#### BRUSHCUTTERS



## Attila AK98X-AK98-AK95-AK88

## More powerful and comfortable for an extreme brushcutting

While they keep their robustness and security, the Attila brushcutters are more performant and comfortable with a more performant motorisation and a new design. More than ever, their output and efficiency qualify them as a quality product.

The Attila AK98X is the 4x4 version with a powerful motorisation (24 HP). The other models have a front brake for more security on slopes.

Neu



#### **EFFICIENT**

- Stability: low centre of gravity, 4 wheel drive (AK98X) plus heavy-tread tyres and differential lock (AK98) provide greater stability on slopes up to 30%

- Exceptional thereotical output

#### COMFORTABLE

Strengthened structure welded tubular chassis for a better driving position
The electric start offers a high comfort level,

- The electric start offers a high comfort level, easily adjusted cutting height, rack and pinion steering, plus hydrostatic drive. Special attention has been paid to sound and vibration levels to reduce them to a very low level - Flexible and easy to use: thanks to the

hydrostatic transmission (AK98X-98) and hydro-mechanical transmission (AK95-88) - Cutting height adjusted by centralised lever with 8 work positions (from 50 to 120 mm) + 1 transport position

- Safety: It is fitted with a parking brake, mechanical blade clutch, operator presence safety switches, front and side mud-flap protection, and a safety lock and overflow on the large-capacity petrol tank

- Front disc brake of front wheels (AK98, 95 and 88)

#### ROBUST

- Reinforced welded tubular chassis and a

robust cutting deck with side ejection

- powerful Kawasaki engine 11,9 to 17,8 kW





all a fair

No.

## **Technical specifications:**

| -                               |  |   |  | THE REPORT OF A REAL PROPERTY OF A |
|---------------------------------|--|---|--|--|
| Model<br>(L x w x h)**          | <b>Attila AK98X</b><br>(202x107x100)                   | Attila AK98<br>(200×1                                   | Attila AK95<br>07×100)                                 | <b>Attila AK88</b><br>(198x98x100)   |
| Cutting width                   | 98   | cm  | 95 cm  | 88 cm  |
| Engine                          | Kawasaki FS691V 4-Stroke OHV<br>twin cylinder (Petrol) | Kawasaki FS651V 4-Stroke OHV<br>twin cylinder (Petrol)  | Kawasaki FS541V 4-Stroke OHV<br>twin cylinder (Petrol) | Kawasaki FS481V 4-Stroke OH\<br>twin cylinder (Petrol)   |
| Displacement/Power(***)         | 726 cm³ - 17 kW (24 HP)                                | 726 cm³ - 15,4 kW (22 HP)                               | 603 cm³ - 13,4 kW (18 HP)                              | 603 cm <sup>3</sup> - 11,7 kW (16 HP)  |
| Maximum operating rate          |  | 3 300   | rev/min  |  |
| Transmission                    | hydrostatic 4 wheel drive                              | hydrostatic differential lock<br>2 wheel drive          |  |  |
| Dynamic brake                   | hydraulic front back                                   | hydraulic on the back + disc brakes on the front wheels |  |  |
| Speed                           | Forward 0 to 10 km/h<br>Reverse 0 to 7 km/h            | Forward 0 to 12 km/h<br>Reverse 0 to 10 km/h            |  | Forward 0 to 10 km/h<br>Reverse 0 to 7 km/h  |
| Theoretical output (*)          | 9 800 sqm/h  | 11 760 sqm/h  | 11 400 sqm/h   | 8 800 sqm/h  |
| Clutch-operated blade           |  | by mechanical sy  | ystem, belt tension                                    | •  |
| Adjustment of<br>cutting height |  |   | ralised<br>to 120 mm)+ 1 transport positio             | on   |
| Slope indicator                 | <ul> <li>✓</li> </ul>                                  | · ·   |  |  |
| Weight                          | 310 kg   | 295 kg  | 290 kg   | 275 kg   |

(\*\*) I = Length, w = width h = height (in cm) - (\*\*\*) Nominal power at maximum operating rate





**BRUSHCUTTERS** 

## Attila SKD



## Compact, reliable and performing

Effective on uneven terrain and steep slopes (30%). Silent and low vibration. This is also available with optional dual rear wheels for additional stability.



#### Product highlights:

#### **EFFICIENT**

- Excellent driveability and stability: wheels with an agrarian profile, and also a very low centre of gravity and optimised weight distribution, differential lock. Effective on uneven terrain and steep slopes (30%)

#### COMFORTABLE

- The seat has armrests and moves forward and back on a rail for adjustment, the seat suspension firmness is adjustable, as is the steering wheel tilt

- Centralised adjustment of the cutting height from 44 to 102 mm

- Silent: with low (85 dB(A) acoustic pressure at the driving seat, and also low handlebar vibrations

#### ROBUST

- Mastershock cutting deck with rear ejection and mud-flap protection

- 9,6 kW Kawasaki motor, high efficiency with a 9-liter tank

- Reinforced hydrostatic transmission

#### VERSATILE

- Available accessories: scarifier, spreader, twin rear wheels...

- Lawn profile wheels can be mounted



## **Technical specifications:**

| Model<br>(L x w x h)**   | Attila SKD<br>(201x97x99)                              |
|--|--|
| Cutting width  | 85 cm  |
| Engine   | Kawasaki FS481V 4-stroke<br>OHV - 2 cylinders (Petrol) |
| Displacement/Power (***)   | 603 cm³ - 9,6 kW (13 HP)                               |
| Maximum operating rate   | 3 000 rev/min  |
| Transmission   | hydrostatic on the 2 rear wheels                       |
| Speed  | Forward 0 to 10 km/h<br>Reverse 0 to 7 km/h            |
| Theoretical output (*)   | 8 500 sqm/h  |
| Clutch-operated blade  | by electromagnetic clutch                              |
| Adjustment of<br>cutting height  | centralised with 5 positions<br>from 44 to 102 mm      |
| Weight   | 300 kg   |
| (*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) |  |

(\*\*) I = Length, w = width h = height (in cm)
(\*\*\*) Nominal power at maximum operating rate

#### BRUSHCUTTERS

## **Attila SKD** ACCESSORIES



The multifunctionnal brushcutter... With the plurality of attachments, the SKD enables you to accomplish different types of work, for example cutting high grass or clearing of snow. The SKD can be used the whole year!

**GREEN SPACE MAINTENANCE** 



#### Scarifier\* (ref. MM103)

With a working width of 80 cm, the scarifier for Bahia, Hydro 80 and Attila SKD allows you to aerate and clean your lawn with considerable efficiency. This tool is particularly important for wet and shaded plots. It allows your lawn to breathe by ridding it of the moss that suffocates it. With this accessory, we will help your grass to look even more beautiful!



#### Spreader (ref. MET)

To put fertilizer on your lawn and spread grit or sand in winter. (60 litres)



#### Dual wheel Kit (ref. ER85)

Thanks to the optional dual wheels, Attila SKD passes where the others trespass.

#### SNOW EQUIPMENT



#### Snow plough\* (ref. MV80N2)

The snow plough and snow chains enables you to use your H100 III for snow clearance.

#### HIGHWAYS MAINTENANCE

#### Fastener (standard)

Thanks the fastener which is on the back of the machine, it will be very easy for you to pull a trailer without jolts.

\*Requires a mounting bracket for the use of the scarifier and the snow plough.



#### BRUSHCUTTERS



## ATTILA AK-60/AH-75

MADE IN EUROPE

The new Attila 60 and 75 pedestrian brush cutters are designed for work in the most difficult conditions. They are ideal for holiday homes, meadows, orchards, fallow land, roadsides and shores.

New

#### Product highlights:

#### **EFFICIENT**

- Heavy-duty brush cutting (up to Ø30 with AH75 and Ø20 with AK60).

- Mowing on the most difficult slopes (up to 20° for AK60 and 30° for AH75) thanks to the hydraulic transmission with a differential lock.

- Two idlers that can be locked without a tool for improved stability on slopes in the AH75.

#### COMFORTABLE

- The differential lock can be engaged without interrupting movement.

Parking brake for safe immobilisation.
All the operating controls are available from the operating position for convenience and safety.

- Central handle that allows easier access to low controls (parking brake, forward transmission bypass, engine starter), with full protection for cables (no visible cable).

#### ROBUST

- The machine can be moved into the vertical position to gain access to the cutter blade for maintenance and cleaning.

- Rugged and reliable engines: engine crank shaft mounted on bearings, cast iron jacket for better.



Model presented: AH75

STITISTA

ETESIA



## **Technical specifications:**

| Model<br>(L x w x h)**          | <b>Attila AK-60</b><br>(210x77x114)            | <b>Attila AH-75</b><br>(213x85x114)            |
|---------------------------------|--|--|
| Cutting width                   | 60 cm  | 75 cm  |
| Engine                          | Kawasaki FJ180V OHV                            | Honda GXV 390 OHV                              |
| Displacement/<br>Power (***)    | 180 cm³ - 3,3 kW                               | 390 cm³ - 7,5 kW                               |
| Speed                           | Forward 0 to 5 km/h<br>Reverse 0 to 2 km/h     | Forward 0 to 5 km/h<br>Reverse 0 to 2 km/h     |
| Theoretical output (*)          | 3 000 rev/min                                  | 3 750 rev/min                                  |
| Adjustment of<br>cutting height | cutting height adjustable<br>from 50 to 100 mm | cutting height adjustable<br>from 50 to 100 mm |
| Weight                          | 129,5 kg                                       | 150,5 kg                                       |

(\*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) (\*\*) I = Length, w = width h = height (in cm) (\*\*\*) 3000 at 3300 rev/min



#### BRUSHCUTTERS



## Attila AD51



#### Easy-to-operate and powerful

Attila AD51 is a rugged, safe and powerful pedestrian brushcutter, designed to clear long grass and scrub in tough conditions and on sites where access is limited.

High endurance thanks to exclusive hydraulic transmission.

#### Product highlights:

#### **EFFICIENT**

High grass mowing and brush cutting - Over-sized rear wheels with semi agricultural tyres, give a good grip. Off-centred blade for cutting without clogging.

Integrated differential lock gives a good grip on uneven ground, especially on slopes: slopes < 20° or 38%.

#### COMFORTABLE

- Highly manoeuvrable thanks to the hydraulic transmission, three forward speeds and one reverse speed and the differential lock.

- Ergonomic and safe speed control making gear changes easier for incomparable manoeuvrability.

- Unparalleled drive smoothness due to the precision of the hydraulic output that is regulated according to the pressure applied on the traction control.

- Reverse/forward change, with no declutching.

#### KOBUSE

- High-endurance hydraulic transmission
- Very rugged steel housing with lateral embossing for more rigidity
- Electronical start.





## Technical specifications:

| -  | 12 M 19 M         |
|--|---|
| Model<br>(L x w x h)**                                 | <b>Attila AD51</b><br>(181x57,5x110)            |
| Cutting width  | 51 cm   |
| Engine   | B&S 750 Series 4-Stroke<br>DOV (Petrol)         |
| Displacement/Power (***)                               | 161 cm <sup>3</sup> - 2,7 kW (3,5 HP)           |
| Maximum operating rate                                 | 3 000 rev/min                                   |
| Driving force  | self-propelled with hydraulic transmission      |
| Speed  | Forward 0 to 5,5 km/h<br>Reverse 0 to 4 km/h    |
| Theoretical output (*)                                 | 2 800 sqm/h                                     |
| Clutch-operated blade                                  | by mechanical system                            |
| Adjustment of<br>cutting height                        | Individual with 5 positions<br>from 50 - 110 mm |
| Weight   | 83 kg   |
| (*) According to the mowing conditions (maximum mowing |   |

(\*) According to the mowing conditions (maximum mowing calculation x cutting width = theoretical output) (\*\*) I = Length, w = width h = height (in cm) (\*\*\*) Nominal power at maximum operating rate





SCARIFIER



**MSC 45** 

#### For a healthier and more resilient lawn

The ETESIA scarifier with blades is designed to perform a double action on your lawn: removing thatch and moss as well as raking weeds and plant debris. Once the scarification process is complete, air, water, and nutrients can reach the root zone more easily.

#### **Product highlights:**

#### **EFFICIENT**

- Split resistant rear deflector
- Continuous depth adjustment
- Work unit quickly interchangeable (no need for tools)

#### COMFORTABLE

- Curved hand grips for operator comfort
- Roller bearing wheels with a cleaning system
- that ensures a constant working depth
- Throttle lever with work position and slow position

#### ROBUST

- Steel rims with ball bearings
- Stable deck in multi-layer steel sheet that enables to work with difficult conditions

#### VERSATILE

Can be equipped with a spring blade (moss remover function intended to be used on fine turf areas)

#### Technical specifications:

| Model<br>(L x w x h)*   | <b>MSC 45</b><br>(140x69x107)              |
|-------------------------|--|
| Cutting width           | 45 cm                                      |
| Engine                  | Honda GX160                                |
| Displacement/Power (**) | 163 cm³ - 4 kW (5,5 HP)                    |
| Speed                   | Forward 0 to 6 km/h<br>Reverse 0 to 3 km/h |
| Output                  | up to 1 500 sqm/h                          |
| Weight                  | 45 kg                                      |

(\*) I = Length, w = width h = height (in cm) (\*\*) at 3 600 rev/min



(\*\*) at 72



#### **Product highlights:**

#### **EFFICIENT**

- Folding side guard that makes it easier to work on pavement edges and passages close to walls.

- Braided wires that can be individually replaced with no tools.

#### COMFORTABLE

Folding, ergonomically shaped handle.Height adjustable front wheel (optional).

#### ROBUST

- Wheel on steel rims with lock or differential allowing quick changes with no tools.

- Compact and lightweight.



THAT CAN BE QUICKLY CHANGED WITH NO TOOLS

| <b>Technical</b> | specifications: |
|------------------|-----------------|
|------------------|-----------------|

| -                     |                                 |
|-----------------------|---------------------------------|
| Model<br>(L x w x h)* | <b>MBR50</b><br>(185x70x80-115) |
| Cutting width         | 50 cm                           |
| Engine                | Honda GXV 160                   |
| Transmission          | Push mower                      |
| Engine Power          | 3,6 kW                          |
| Output                | up to 2 200 sqm/h               |
| Weight                | 55 kg                           |
| (*) ] _ longels       |                                 |

(\*) I = Length, w = width h = height (in cm)



## ELECTRIC WHEELBARROW



With the new Donky electric tool carrier, Etesia makes everyday work easier. Gone are the days when heavy loads had to be moved by hand and the pollution from petrol wheelbarrows directly burdened users with exhaust fumes and additional high fuel costs.

Donky

DONKY is not only comfortable, ecological and quiet, but also, thanks to its wide range of options, a true tool carrier that can be used all year round for various jobs: transport (also of liquids), winter maintenance, lawn care...

New

#### **Product highlights:**

#### **100% ELECTRICAL**

Ecological: no pollutant emissions

- Quiet: Movement and work in absolute silence. This enables use even in sensitive areas as there are no there is noise pollution for users or residents.

- Economical: the costs for one hour of use of the electric wheel-barrow are around 0,12€ net, depending on Mode of use. **EFFICIENT** 

- A real workhorse: up to 280 kg or 180 liters at once (400 Liter with sidewall MBER), whereby the emptying with central lever is supported.

- Compact and agile, thanks to its electric drive, it does not require any effort on your part, thus reducing the riskbe reduced by herniated discs or muscle damage can. - The drive is controlled with the thumb on the handle, there is a knob that controls the Forward and reverse gear changes.

Opening and closing by Electronics is made possible. The bypass is operated manually.

#### ROBUST

- Strong motor power of 1700W, the electronic control and its drive wheels in the agricultural profile, give it an indestructible strength and an incomparable endurance also in the most difficult terrain, even on slopes.

- Depending on working conditions, a single charge is sufficient for one or two working days.

#### **Technical specifications:**

| icennical specifications.                    |  |
|--|--|
| Model<br>(L x w x h)*                        | <b>Donky</b><br>(172x90x102)               |
| Motor  | Electric 1 700 W                           |
| Battery set voltage                          | 48 V – 38 Ah                               |
| Autonomy                                     | 1 to 2 working days                        |
| Speed  | Forward 0 to 6 km/h<br>Reverse 0 to 3 km/h |
| Battery                                      | Lead Acid                                  |
| Charger                                      | 100 - 240V / 48V, 5A                       |
| Brake  | Dynamic brake + electric parking brake     |
| Weight                                       | 170 kg                                     |
| Maximum loading                              | 250 kg                                     |
| Capacity maxi dump                           | 180 L (400 with optional side rails)       |
| Capacity tank                                | 85 L (with 1" valve incorporated)          |
| (*) L = Length, w = width h = height (in cm) |  |





Ask for a free demonstration





Equipped with the tank container, up to 280 kg or 180 liters can be transported at once (400 liters with side walls MBER), whereby emptying is supported by a central lever. The tank integrated into the tub allows you to transport 85 liters of liquid, which you can drain via a drain cock or spray lance (not included).



With the sheet metal tub, you can move up to 280 kg or 250 liters in one operation. Emptying is supported by a central lever. Thanks to the robust tub you can transport materials like gravel or stones.

MBPB

**MBBT** 



With the wooden board of the DONKY® electric tool carrier, you can move up to 280 kg in one operation. With this stable carrier, you can transport heavy materials such as flower pots, soil bags or other heavy materials.



#### GREEN SPACE MAINTENANCE



#### Folding side panels (ref. MBER)

The sidewalls of the DONKY equipment carrier allow increasing the transport volume considerably, from 180 to 400 liters. In addition, the side walls can be folded down to act as a working or transport surface.



#### Scarifier\* (ref. MM103)

With a working width of 80 cm, the scarifier for Bahia, Hydro 80 and Attila SKD allows you to aerate and clean your lawn with considerable efficiency. This tool is particularly important for wet and shaded plots. It allows your lawn to breathe by ridding it of the moss that suffocates it. With this accessory, we will help your grass to look even more beautiful!

#### **SNOW EQUIPMENT**



#### Snow plough\* (ref. MV80N3)

Snow plough to clear snow from your paths and pavements fast.



#### ELECTRIC MULTI-TASKING TRANSPORT VEHICLE



## **Bahia VTE**



#### Environmentally friendly, silent, compact and light weight, cost-effective, versatile...

The VTE from the Bahia electrical range is a real multifunctional vehicle, it is compact, silent, costeffective and environmentally friendly. It offers you a professional and innovating solution for your maintenance and transportation tasks all year round. With a tow bar, the VTE is turned into a silent and clean towing vehicle that goes everywhere, ideal for public places and enclosed spaces.

#### Product highlights:

#### **EFFICIENT**

- Environmentally friendly: zero emissions - Economic: the hourly cost of use of an electric towing vehicle ranges between 0.09 £ /h excl. VAT depending on its use

- Our electric towing vehicle has AGM batteries that require no maintenance

It is guaranteed up to 500 cycles, is fully independant and can be recharged from the mains in only six hours. Recharging with solar panel is also possible. The movement transmission requires no maintenance

#### COMFORTABLE

- Lightweight and compact: it will allow you to get into every nook and cranny, going everywhere in silence and comfort

- Its ultralight weight leaves no mark on the ground, particularly on lawns

#### **POSSIBLE TYPES OF USERS**

Versatility coupled with its discretion and compactness enable the VTE to have many possibilities for use: hotel business, tourist sites, roadworks, nursery, industrial, gardeners, organic farming, campsites, train stations

#### **Technical specifications:**

| Model<br>(L x w x h)* | <b>Bahia VTE</b><br>(173x79,5x121) |
|-----------------------|------------------------------------|
| Motor                 | Electric                           |
| Power                 | 1,7 kW - 48 V                      |
| Battery               | 4 x 12 V - 110 Ah                  |
| Туре                  | AGM, lead acid                     |
| Charger               | 220V / 48V, 10 Amp h               |
| Working autonomy      | up to 8 h                          |
| Speed                 | forward/reverse 0 to 8 km/h        |
| Weight                | 275 kg                             |
|                       |                                    |

(\*) L = Length, w = width h = height (in cm)



concept



ELECTRIC MULTI-TASKING TRANSPORT VEHICLE

## Bahia VTE <u>Acces</u>sories



The VTE and its accessories will cover all your maintenance and gardening needs all around the year: spreader (for salt, grit, fertilizer, ...), snow plough, scarifier,...

#### GREEN SPACE MAINTENANCE



#### Scarifier\* (ref. MM103)

With a working width of 80 cm, the scarifier for Bahia, Hydro 80 and Attila SKD allows you to aerate and clean your lawn with considerable efficiency. This tool is particularly important for wet and shaded plots. It allows your lawn to breathe by ridding it of the moss that suffocates it. With this accessory, we will help your grass to look even more beautiful!

#### Spreader (ref. MET)

To put fertilizer on your lawn and spread grit or sand in winter (60 litres).



#### TRANSPORT Tow bar (standard)

The standard VTE tow bar will pull different trailers as well as the MET spreader (for salt, grit, seeds and fertilizers).

**Luggage rack (ref. OMPB80)** Factory-installed only.

#### **SNOW EQUIPMENT**



**Snow plough\* (ref. MV80N3)** Snow plough to clear snow from your paths and pavements fast.

#### MOBILE POWER SOURCE

#### Electric converter\*\* (ref. OMCE80)



With its converter, the Bahia VTE becomes a mobile power source, to which you can connect a large number of wired electrical devices (power < 700 W). The machine will enable you to carry out a number of tasks all over the space.

(\*) Requires a mounting bracket for the use of the scarifier and the snow plough. (\*\*) Requires luggage rack.





13, rue de l'Industrie 67160 WISSEMBOURG Tel. : +33 (0)3 88 54 89 00 Fax : +33 (0)3 88 94 06 24 sales@etesia.co.uk www.etesia.co.uk ETESIA SALES & SERVICE DEALER